

Serbian Ceramic Society Conference
ADVANCED CERAMICS AND APPLICATION II
New Frontiers in Multifunctional Material Science and Processing

Serbian Ceramic Society
Institute of Chemistry Technology and Metallurgy
Institute for Technology of Nuclear and Other Raw Mineral Materials
Institute for Testing of Materials
Archeological Institute of SASA

PROGRAM AND THE BOOK OF ABSTRACTS

Serbian Academy of Sciences and Arts, Knez Mihailova 35
Sep 30th - Oct 1st, 2013, Belgrade, Serbia

Book title: Serbian Ceramic Society Conference - ADVANCED CERAMICS AND APPLICATION II: Program and the Book of Abstracts

Publisher:

Serbian Ceramic Society

Editors:

Prof.dr Voja Mitić
Dr Nina Obradovic
Dr Lidija Mančić

Technical Editor:

Dr Lidija Mačić

Printing:

Serbian Academy of Sciences and Arts,
Knez Mihailova 35, Belgrade
Format
Pop Lukina 15, Belgrade

Edition:

100 copies

Mosaics: Original Format 30x40 cm

Mirjana Milić, Vladimir Skerlić, Maja Opačić, Maša Nicić, Nina Nicić, Milica Konstantinović,
Marjan Vesić - Academy od SOC for Fine Arts and Conservation

CIP - Каталогизација у публикацији
Народна библиотека Србије, Београд

666.3/.7(048)
66.017/.018(048)

SERBIAN Ceramic Society. Conference (2 ; 2013 ; Beograd)

Advanced Ceramics and Application : new frontiers in multifunctional material science and processing : program and the book of abstracts / II Serbian Ceramic Society Conference, Sep 30th-Oct 1st, 2013, Belgrade, Serbia ; organized by Serbian Ceramic Society... [et al.] ; [editors Vojislav Mitić, Nina Obradović, Lidija Mančić]. - Belgrade : Serbian Ceramic Society, 2013 (Belgrade : Serbian Academy of Sciences and Arts). - XVI, 61 str. ; 30 cm

Tiraž 100.

ISBN 978-86-915627-1-7

1. Serbian Ceramic Society (Beograd)

a) Керамика - Апстракти b) Наука о материјалима - Апстракти

c) Наноматеријали - Апстракти

COBISS.SR-ID 201203212

O2

**Density of the ZnTiO₃ nanopowder as a loose powder and as
a compact obtained by different methods**

N.Labus¹, J.Krstić², A.Peješ¹, J.Živojinović¹, M.V.Nikolić³

¹ Institute of Technical Sciences of SASA, Knez Mihajlova 35/IV, 11000 Belgrade, Serbia

² Institute of Chemistry, Technology and Metallurgy, Department of Catalysis and Chemical Engineering, University of Belgrade, Njegoseva 12, 11000 Belgrade, Serbia;

³ Institute for Multidisciplinary Research, University of Belgrade, Kneza Višeslava 1a, 11000 Belgrade, Serbia

Nanopowder density, as well as compact density, is due to powder particle size, different in their values, compared to micron powders. Also, the technique used for density determination induces large mutual value discrepancies. Scanning electron micrographs of as received powder are presented as an illustration of the shape and size of powder particles and agglomerates. The density of the loose powder pretreated differently was determined using mercury porosimetry and He pycnometry. The methods used for determining the apparent density of the compacts were pycnometry with water as the wetting liquid, mercury porosimetry and also a new approach using a combination of mercury pycnometry along with nitrogen adsorption. Bulk densities of compacts were determined by dimension measurement and mercury pycnometry. Conclusions about nanopowder usage as a charge for dry compaction as well as the most appropriate way for the determination of compact and powder densities are shown.