

The 61st Annual Meeting of the International Society of Electrochemistry

Electrochemistry from Biology to Physics
September 26th - October 1st, 2010, Nice, France

Abstract s05-P-054

Electrochemical characterization of electrochemically polymerized polyaniline in citrate containing electrolyte

Branimir Jugović¹, Milica Gvozdinović², Jasmina Stevanović³, Tomislav Trišović¹,
Branimir Grgur²

¹*ITS-Serbian Academy of Science and Arts, Knez Mihailova 35, Serbia*

²*Faculty of Technology and metallurgy, University of Belgrade, Karnegijeva 4, Serbia*

³*ICTM-Institute of electrochemistry, Njegoševa 12, Serbia*

e-mail address: branimir.jugovic@itn.sanu.ac.rs

Polyaniline electrode, was obtained by electrochemical polymerization at constant current density of 2.0 mA cm^{-2} from aqueous solution of 1.0 mol dm^{-3} HCl containing 0.25 mol dm^{-3} aniline. Electrochemical characterization of the polyaniline electrode in chloride and chloride/citrate electrolyte, for different anodic potential limits, was performed using cyclic voltammetry and galvanostatic measurements. It was observed that for anodic potential 0.32 V , higher electrode capacity in chloride/citrate was obtained. For anodic potential limit of 0.50 V , faster decrease of the electrode capacity in chloride/citrate electrolyte was also observed. It was suggested that influence of both chloride and citrate anions has to be taken into account.

Key words: electrochemistry, polymers, power sources