

The Supplementary data for:

Stojanović, K., Živić, M., Dulić, Z., Marković, Z., Krizmanić, J., Milošević, D., Miljanović, B., Jovanović, J., & Vidaković, D. (2017). Comparative study of the effects of a small-scale trout farm on the macrozoobenthos, potamoplankton and epilithic diatom communities. *Environmental Monitoring and Assessment*, Springer., 189(8), 403.

<https://doi.org/10.1007/s10661-017-6114-0>



This work is licensed under a Creative Commons Attribution 4.0 International License.

**Article title:** Comparative study of the effects of a small-scale trout farm on the macrozoobenthos, potamoplankton and epilithic diatom communities

**Journal title:** Environmental Monitoring and Assessment

**Authors:** Stojanović, K.<sup>a</sup>, Živić, M.<sup>a</sup>, Dulić, Z.<sup>b</sup>, Marković, Z.<sup>b</sup>, Krizmanić, J.<sup>a</sup>, Milošević, Dj.<sup>c</sup>, Miljanović, B.<sup>d</sup>, Jovanović, J.<sup>e</sup>, Vidaković, D.<sup>a</sup>, Živić, I.<sup>a\*</sup>

<sup>a</sup>University of Belgrade-Faculty of Biology, Studentski trg 16, 11000 Belgrade, Serbia

<sup>b</sup>University of Belgrade-Faculty of Agriculture, Nemanjina 6, 11080 Belgrade, Serbia

<sup>c</sup>University of Niš, Faculty of Sciences and Mathematics, Department of Biology and Ecology, Višegradaska 33, 18000 Niš, Serbia

<sup>d</sup>University of Novi Sad, Faculty of Sciences and Mathematics, Department of Biology and Ecology, Trg Dositeja Obradovića 2, 21000 Novi Sad, Serbia

<sup>e</sup>University of Belgrade, Institute for Chemistry, Technology and Metalurgy, Njegoševa 12, 11001, Belgrade, Serbia

\*Corresponding author: e-mail: [ivanas@bio.bg.ac.rs](mailto:ivanas@bio.bg.ac.rs), Phone and fax numbers: +381641642258; +381112638500; e-mail: [ivanas@bio.bg.ac.rs](mailto:ivanas@bio.bg.ac.rs)

**Table S1** Relative abundance (%) of epilithic diatoms on research localities of the Raška River

EPILITHIC DIATOMS	Localities			
	R1	R2	R3	R4
<b>Coscinodiscophyceae</b>				
<i>Cyclotella glabriuscula</i> (Grunow) Håkansson	0	0.10	0.29	0.02
<i>Cyclotella meneghiniana</i> Kützing	0.02	0	0	0
<i>Ellerbeckia arenaria</i> (G.Moore ex Ralfs) R.M.Crawford	0.02	0.03	0.04	0
<i>Melosira lineata</i> (Dillwyn) C.Agardh	0.43	0.54	1.06	0.03
<b>Fragilariophyceae</b>				
<i>Diatoma ehrenbergii</i> Kützing	0.02	0.1	0.28	0.13
<i>Diatoma mesodon</i> (Ehrenberg) Kützing	0	0.06	0.12	0
<i>Diatoma moniliformis</i> (Kützing) D.M.Williams	0.02	0	0.08	0.08
<i>Diatoma vulgare</i> Bory	4.60	4.54	2.33	0.35
<i>Fragilaria acus</i> (Kützing) Lange-Bertalot	0	0	0	0.02
<i>Fragilaria capitellata</i> (Grunow) J.B.Petersen	0.08	0	0.02	0
<i>Fragilaria capucina</i> Desmazières	0	0.16	0.27	0
<i>Fragilaria rumpens</i> (Kützing) G.W.F.Carlson	0.29	0	0.67	0.16
<i>Fragilaria ulna</i> (Nitzsch) Lange-Bertalot	0.32	1.09	0.16	0.08
<i>Fragilaria vaucheriae</i> (Kützing) J.B.Petersen	0.47	0.81	0.95	0.12
<i>Meridion circulare</i> (Greville) C.Agardh	0.44	0.43	0.24	0.10
<b>Bacillariophyceae</b>				
<i>Achnanthyrium affinis</i> (Grunow) Czarnecki	3.95	4.65	5.90	10.99
<i>Achnanthyrium exile</i> (Kützing) Heiberg	0	0.50	1.19	0.43
<i>Achnanthyrium minutissimum</i> (Kützing) Czarnecki	19.82	23.87	26.72	25.20
<i>Achnanthyrium pyrenaicum</i> (Hustedt) H.Kobayasi	1.82	1.33	0.39	0.76
<i>Achnanthyrium subatomus</i> (Hustedt) Lange-Bertalot	3.19	2.03	4.78	4.82
<i>Amphora inariensis</i> Krammer	10.90	4.24	3.26	6.86
<i>Amphora ovalis</i> (Kützing) Kützing	0	0.002	0.02	0.02
<i>Amphora pediculus</i> (Kützing) Grunow ex A.Schmidt	19.38	15.66	11.34	16.93
<i>Caloneis bacillum</i> (Grunow) Cleve	1.19	1.23	0.09	0.07

EPILITHIC DIATOMS	Localities			
	R1	R2	R3	R4
<b>Bacillariophyceae</b>				
<i>Cocconeis neodiminuta</i> Krammer	1.10	1.78	0	0.33
<i>Cocconeis pediculus</i> Ehrenberg	0.41	0.61	0.33	0.03
<i>Cocconeis placentula</i> var. <i>lineata</i> (Ehrenberg) Van Heurck	5.51	10.45	2.82	0.74
<i>Cocconeis placentula</i> var. <i>placentula</i> Ehrenberg	1.60	0.54	0.11	1.24
<i>Cocconeis pseudolineata</i> (Geitler) Lange-Bertalot	3.19	1.90	0.72	0.43
<i>Craticula accomoda</i> (Hustedt) D.G.Mann	0	0	0	0.02
<i>Cymatopleura solea</i> (Brébisson) W.Smith	0	0	0.02	0
<i>Cymatopleura solea</i> var. <i>apiculata</i> (W.Smith) Ralfs	0.08	0	0	0
<i>Cymbella compacta</i> Østrup	1.69	0.66	0.36	0.34
<i>Cymbella excise</i> Kützing	0.43	0.33	0.41	0.20
<i>Cymbella parva</i> (W.Smith) Kirchner	0.14	0.05	0.47	0.03
<i>Denticula tenuis</i> Kützing	0.30	0.95	0.74	0.77
<i>Diploneis oblongata</i> (Nägeli ex Kützing) Cleve-Euler	0	0.02	0	0
<i>Encyonema lange-bertalotii</i> Krammer	0.13	0.02	0.37	0.14
<i>Encyonema minutum</i> (Hilse) D.G.Mann	0.51	0.87	0.83	1.28
<i>Encyonema prostratum</i> (Berkeley) Kützing	0	0.05	0.02	0.05
<i>Encyonema silesiacum</i> (Bleisch) D.G.Mann	1.0	0.75	0.54	0.59
<i>Encyonema ventricosum</i> (C.Agardh) Grunow	0.71	1.62	2.02	1.53
<i>Fallacia subhamulata</i> (Grunow) D.G.Mann	0.14	0.33	0.02	0
<i>Frustulia vulgaris</i> (Thwaites) De Toni	0.43	0.1	0	0.03
<i>Geissleria decussis</i> (Østrup) Lange-Bertalot & Metzeltin	0.03	0	0.08	0
<i>Gomphonema accuminatum</i> Ehrenberg	0.08	0.05	0.03	0.03
<i>Gomphonema capitatum</i> Ehrenberg	0.18	0.21	0.12	0.05
<i>Gomphonema micropus</i> Kützing	0	0	0	0.03
<i>Gomphonema minutum</i> (C.Agardh) C.Agardh	0.41	1.04	0.33	0.27
<i>Gomphonema olivaceolacuum</i> (Lange-Bertalot & Reichardt) Lange-Bertalot & E.Reichardt	0.04	0.07	0.03	0.04
<i>Gomphonema olivaceum</i> (Hornemann) Brébisson	0.72	0.55	0.81	1.21
<i>Gomphonema parvulum</i> (Kützing) Kützing	0.25	1.50	0.75	0.08
<i>Gomphonema pumilum</i> (Grunow) E.Reichardt & Lange-Bertalot	0.12	0.25	0.37	0.11
<i>Gomphonema sarcophagus</i> Gregory	0.25	0.02	0	0.33
<i>Gomphonema tergestinum</i> (Grunow) Fricke	2.73	1.91	7.87	9.75
<i>Gyrosigma attenuatum</i> (Kützing) Rabenhorst	0.02	0	0	0.02
<i>Gyrosigma sciotoense</i> (W.S.Sullivant) Cleve	0.12	0.16	0.09	0.03
<i>Hantzschia amphioxys</i> (Ehrenberg) Grunow	0	0	0.17	0
<i>Hippodonta costulata</i> (Grunow) Lange-Bertalot, Metzeltin & Witkowski	0.02	0	0	0
<i>Luticola goeppertiana</i> (Bleisch ex Rabenhorst) D.G.Mann in Round, R.M.Crawford & D.G.Mann	0	0.39	0.16	0.08
<i>Mayamaea atomus</i> var. <i>permitis</i> (Hustedt) Lange-Bertalot	0.33	0	0.18	0.08
<i>Navicula antonii</i> Lange-Bertalot	0.14	0.14	0.68	0.92
<i>Navicula cari</i> Ehrenberg	0	0	0	0.02

EPILITHIC DIATOMS	Localities			
	R1	R2	R3	R4
<b>Bacillariophyceae</b>				
<i>Navicula catalanogermanica</i> Lange-Bertalot&G.Hofmann	0	0.10	0.41	1.09
<i>Navicula cryptocephala</i> Kützing	0	0.03	0	0.02
<i>Navicula cryptotenella</i> Lange-Bertalot	4.42	1.95	2.50	1.16
<i>Navicula hintzii</i> Lange-Bertalot	0.02	0	0	0
<i>Navicula jakovljevicii</i> Hustedt	0.1	0.03	0	0.1
<i>Navicula radiosa</i> Kützing	0.10	0.02	0.02	0.03
<i>Navicula tripunctata</i> (O.F.Müller) Bory	0.89	2.92	1.24	0.72
<i>Neidiomorpha binodeformis</i> (Krammer) M.Cantonati, Lange-Bertalot&N.Angeli	0.62	0	0	0
<i>Neidium dubium</i> (Ehrenberg) Cleve	0.02	0	0	0
<i>Nitzschia dissipata</i> (Kützing) Rabenhorst	1.14	1.75	2.52	1.65
<i>Nitzschia fonticola</i> (Grunow) Grunow	0.54	0.79	1.28	1.41
<i>Nitzschia heufleriana</i> Grunow	0.02	0	0	0
<i>Nitzschia linearis</i> W.Smith	0.39	0.08	0.43	0.16
<i>Nitzschia palea</i> (Kützing) W.Smith	0	0.33	1.03	0.66
<i>Nitzschia pseudofonticola</i> Hustedt	0	0.33	0	0
<i>Nitzschia recta</i> Hantzsch ex Rabenhorst	0.10	0	0.02	0
<i>Nitzschia solita</i> Hustedt	0.17	0	0	0
<i>Nitzschia supralitorea</i> Lange-Bertalot	0.08	0.54	1.79	0.78
<i>Placoneis paraelginensi</i> Lange-Bertalot	0	0	0.17	0
<i>Placoneis pseudanglica</i> var. <i>signata</i> (Hustedt) E.Y.Haworth&M.G.Kelly	0.39	0.21	0.22	0.39
<i>Placoneis undulata</i> (Østrup) Lange-Bertalot	0.12	0	0.02	0.12
<i>Planothidium dubium</i> (Grunow) Round & Bukhtiyarova	0.47	0.42	1.05	0.41
<i>Planothidium frequentissimum</i> (Lange-Bertalot) Lange-Bertalot	0.17	0.41	0.77	2.56
<i>Planothidium lanceolatum</i> (Brébisson ex Kützing) Lange-Bertalot	0.10	0.04	0.43	0.26
<i>Rhoicosphenia abbreviate</i> (C.Agardh) Lange-Bertalot	0.02	0	0.02	0
<i>Sellaphora bacillum</i> (Ehrenberg) D.G.Mann	0.1	0	0	0.03
<i>Sellaphora joubaudii</i> (H.Germain) Aboal	0	0.03	0.1	0.03
<i>Sellaphora pupula</i> (Kützing) Mereschkovsky	0.08	0	0.03	0.02
<i>Sellaphora seminulum</i> (Grunow) D.G.Mann	0	0	0	0.02
<i>Staurosira binodis</i> (Ehrenberg) Lange-Bertalot	0.02	0	0	0
<i>Staurosirella pinnata</i> (Ehrenberg) D.M.Williams& Round	0.02	0.17	0.21	0
<i>Surirella angusta</i> Kützing	0.08	0.10	0.10	0.03
<i>Surirella brebissonii</i> var. <i>kuetzingii</i> Krammer& Lange-Bertalot	0	0	0.02	0.02
<i>Surirella linearis</i> W.Smith	0	0	0	0.02
<i>Surirella minuta</i> Brébisson ex Kützing	0	0	0.02	0.02
<i>Tryblionella angustata</i> W.Smith	0.02	0	0	0

**Article title:** Comparative study of the effects of a small-scale trout farm on the macrozoobenthos, potamoplankton and epilithic diatom communities

**Journal title:** Environmental Monitoring and Assessment

**Authors:** Stojanović, K.<sup>a</sup>, Živić, M.<sup>a</sup>, Dulić, Z.<sup>b</sup>, Marković, Z.<sup>b</sup>, Krizmanić, J.<sup>a</sup>, Milošević, Dj.<sup>c</sup>, Miljanović, B.<sup>d</sup>, Jovanović, J.<sup>e</sup>, Vidaković, D.<sup>a</sup>, Živić, I.<sup>a\*</sup>

<sup>a</sup>University of Belgrade-Faculty of Biology, Studentski trg 16, 11000 Belgrade, Serbia

<sup>b</sup>University of Belgrade-Faculty of Agriculture, Nemanjina 6, 11080 Belgrade, Serbia

<sup>c</sup>University of Niš, Faculty of Sciences and Mathematics, Department of Biology and Ecology, Višegradaska 33, 18000 Niš, Serbia

<sup>d</sup>University of Novi Sad, Faculty of Sciences and Mathematics, Department of Biology and Ecology, Trg Dositeja Obradovića 2, 21000 Novi Sad, Serbia

<sup>e</sup>University of Belgrade, Institute for Chemistry, Technology and Metalurgy, Njegoševa 12, 11001, Belgrade, Serbia

\*Corresponding author: e-mail: [ivanas@bio.bg.ac.rs](mailto:ivanas@bio.bg.ac.rs), Phone and fax numbers: +381641642258; +381112638500; e-mail: [ivanas@bio.bg.ac.rs](mailto:ivanas@bio.bg.ac.rs)

**Table S2** Relative abundance (%) of potamoplankton at research localities of the Raška River

POTAMOPLANKTON	Localities			
	R1	R2	R3	R4
<b>Cladocera</b>				
<i>Alona affinis</i> (Leydig, 1860)	0.33	0.81	1.57	2.72
<i>Alona guttata</i> Sars, 1862	1.51	5.08	10.99	6.52
<i>Alona quadrangularis</i> (O. F. Muller, 1776)	0	5.89	1.57	4.35
<i>Bosmina longirostris</i> (O. F. Muller, 1776)	3.36	0.20	1.57	0
<i>Chydorus sphaericus</i> (O. F. Muller, 1776)	0.33	0.61	3.66	0
<i>Leydigia leydigi</i> (Schödler, 1863)	0	0	0	0.54
<i>Pleuroxus striatus</i> Schoedler, 1863	0.33	1.02	1.05	0
<b>Copepoda</b>				
<i>Cyclops</i> sp.	0.67	1.02	2.62	18.48
Harpacticoida	6.21	11.38	14.66	11.41
Nauplius larvae	2.52	4.67	5.24	8.15
<b>Rotatoria</b>				
<i>Anuraeopsis fissa</i> Gosse, 1851	5.03	0.41	0	0
<i>Asplanchna herricki</i> de Guerne, 1888	0	0.20	0	0
<i>Asplanchna</i> sp.	0.33	0	0	0
<i>Brachionus angularis</i> Gosse, 1851	0.17	0	0	0
<i>Brachionus calyciflorus</i> Pallas, 1776	6.54	1.83	4.71	10.87
<i>Brachionus diversicornis</i> (Daday, 1883)	0.33	0	0	0
<i>Cephalodella catelina</i> Muller, 1786	0.33	0	0.52	0.54
<i>Cephalodella dorseyi</i> Myers, 1924	0	1.63	0	0
<i>Cephalodella gibba</i> Ehrenberg, 1832	0	1.22	0	0
<i>Cephalodella globata</i> Gosse, 1887	0	0.20	1.57	0
<i>Cephalodella ventripes</i> (Dixon-Nutall, 1901)	0.17	0	0	0
<i>Cephalodella</i> sp.	3.36	0	2.09	0
<i>Colurella adriatica</i> Ehrenberg, 1831	14.60	11.79	8.90	18.48
<i>Colurella uncinata bicuspidata</i> (Ehrenberg, 1832)	3.19	10.77	4.71	0

POTAMOPLANKTON	Localities			
	R1	R2	R3	R4
<b>Rotatoria</b>				
<i>Dicranophorus</i> sp.	0.33	0.81	0	0
<i>Elosa worallii</i> Lord, 1891	0.17	0	0	0
<i>Elosa</i> sp.	0	0.20	0	0
<i>Encentrum putorius</i> Wulfert, 1936	18.12	15.04	4.19	3.80
<i>Encentrum rousseleti</i> (Lie-Pettersen, 1906)	5.03	0.20	3.14	2.17
<i>Epiphanes macroura</i> (Barrois&Daday, 1894)	0	0	2.62	0
<i>Epiphanes seneta</i> (O. F. Muller, 1773)	1.01	0	0	0
<i>Euchlanis dilatata</i> Ehrenberg, 1832	2.18	1.02	2.62	1.63
<i>Filinia terminalis</i> Plate, 1886	0.17	0	0	0
<i>Keratella cochlearis tecta</i> (Gosse, 1851)	0.33	0	0	0
<i>Keratella hiemalis</i> Carlin, 1943	0	1.02	0	0
<i>Keratella quadrata</i> (O. F. Muller, 1786)	1.85	0	0	0.54
<i>Keratella tropica</i> (Apstein, 1907)	0	2.03	1.05	0
<i>Lecane bulla</i> (Gosse, 1851)	0.17	0	0	0
<i>Lecane cornuta</i> Muller, 1786	1.17	0	0	0
<i>Lecane flexilis</i> (Gosse, 1886)	0	0	3.14	0
<i>Lecane luna</i> (Muller, 1776)	0	0.20	0	0
<i>Lecane lunaris</i> (Ehrenberg, 1832)	0.67	1.63	0	1.63
<i>Lecane rugosa</i> (Harring, 1914)	0.17	0	0	0
<i>Lecane</i> sp.	0	0	1.05	0
<i>Lepadella cryphaea</i> Harring, 1916	0	0.41	0	0
<i>Lepadella ovalis</i> (O. F. Muller, 1786)	2.52	0.81	0	1.09
<i>Lepadella patella</i> (O. F. Muller, 1786)	7.21	7.32	6.28	0.54
<i>Lophocharis</i> sp.	0.17	0	0	0
<i>Monommata actices</i> Myers, 1930	0	0	0.52	0
<i>Mytilina mucronata</i> (O. F. Muller, 1773)	1.34	0.41	0.52	0.54
<i>Notholca</i> sp.	0.33	0	0	0
<i>Notholca squamula</i> (O. F. Muller, 1786)	0	0.20	0.52	0
<i>Paracentrum lutetiae</i> (Harring & Myers, 1928)	0	0.20	0.52	1.09
<i>Phylodina</i> sp.	1.01	0.20	0	0
<i>Rotaria</i> sp.	0.33	0.81	1.05	0
<i>Taphrocampa annulosa</i> Gosse, 1851	0	0.20	0	0
<i>Taphrocampa selenura</i> Gosse, 1887	0.33	0	0	0
<i>Trichocerca porcellus</i> (Gosse, 1851)	4.36	4.47	5.76	4.35
<i>Trichocerca weberi</i> (Jennings, 1894)	0	1.02	0	0
<i>Trichocerca</i> sp.	0.33	0	1.05	0
<i>Trichotria pocillum</i> (O. F. Muller, 1776)	0.50	0	0	0
<i>Trichotria tetractis tetractis</i> (Ehrenberg, 1830)	0.33	0.41	0	0

**Article title:** Comparative study of the effects of a small-scale trout farm on the macrozoobenthos, potamoplankton and epilithic diatom communities

**Journal title:** Environmental Monitoring and Assessment

**Authors:** Stojanović, K.<sup>a</sup>, Živić, M.<sup>a</sup>, Dulić, Z.<sup>b</sup>, Marković, Z.<sup>b</sup>, Krizmanić, J.<sup>a</sup>, Milošević, Dj.<sup>c</sup>, Miljanović, B.<sup>d</sup>, Jovanović, J.<sup>e</sup>, Vidaković, D.<sup>a</sup>, Živić, I.<sup>a\*</sup>

<sup>a</sup>University of Belgrade-Faculty of Biology, Studentski trg 16, 11000 Belgrade, Serbia

<sup>b</sup>University of Belgrade-Faculty of Agriculture, Nemanjina 6, 11080 Belgrade, Serbia

<sup>c</sup>University of Niš, Faculty of Sciences and Mathematics, Department of Biology and Ecology, Višegradaska 33, 18000 Niš, Serbia

<sup>d</sup>University of Novi Sad, Faculty of Sciences and Mathematics, Department of Biology and Ecology, Trg Dositeja Obradovića 2, 21000 Novi Sad, Serbia

<sup>e</sup>University of Belgrade, Institute for Chemistry, Technology and Metalurgy, Njegoševa 12, 11001, Belgrade, Serbia

\*Corresponding author: e-mail: [ivanas@bio.bg.ac.rs](mailto:ivanas@bio.bg.ac.rs), Phone and fax numbers: +381641642258; +381112638500; e-mail: [ivanas@bio.bg.ac.rs](mailto:ivanas@bio.bg.ac.rs)

**Table S3** Relative abundance (%) of macrozoobenthos on research localities of the Raška River

MACROZOOBENTHOS	Localities			
	R1	R2	R3	R4
<b>Turbellaria - Platyhelminthes</b>				
<i>Dugesia lugubris</i> (Schmidt, 1861)	0.08	0	0	0
<b>Mollusca</b>				
<i>Ancylus fluviatilis</i> Müller, 1774	7.86	2.38	0.29	0.05
<i>Bithynia leachii</i> (Sheppard, 1823)	0.04	0	0.02	0.05
<i>Lymnaea peregra</i> (Müller, 1774)	0.25	0.04	0.10	0
<i>Pisidium</i> sp.	0.96	1.90	5.26	0.15
<i>Valvata cristata</i> (Müller, 1774)	0.29	0.17	0.17	0.05
<b>Annelida - Oligochaeta</b>				
<i>Eiseniella tetraedra</i> (Savigny, 1826)	0.33	0.39	0	3.55
<i>Enchytraeus albidus</i> Henle, 1837	0.58	0	0	0
<i>Fridericia</i> sp.	0	0	0	0.05
<i>Haplotaxis gordioides</i> (Hartmann, 1821)	0	0.47	0.05	0.54
<i>Limnodrilus claparedeanus</i> Ratzel, 1868	0	0.04	0.02	0
<i>Limnodrilus hoffmeisteri</i> Claparede, 1862	0	0.17	2.00	0
<i>Nais barbata</i> Müller, 1774	0	0.21	0	0
<i>Nais</i> sp.	0	0.04	0	0
<i>Pelosclex ferox</i> (Eisen, 1879)	0	0.17	0	1.77
<i>Pristina longiseta</i> Ehrenberg, 1828	0	0.09	0	0
<i>Psammoryctides albicola</i> (Michaelson, 1901)	0.96	3.08	2.27	3.31
<i>Psammoryctides barbatus</i> (Grube, 1861)	0	0.21	0.78	0.05
<i>Styiodrilus heringianus</i> Claparede, 1862	0.21	0	0	0.05
<i>Tubifex tubifex</i> (Müller, 1774)	0	0.48	16.38	0.29
<b>Annelida - Hirudinea</b>				
<i>Erpobdella testacea</i> (Savigny, 1820)	0.33	3.50	0.39	0.30
<i>Hellobdella stagnalis</i> (Linnaeus 1758)	0	0	0	0.05

MACROZOOBENTHOS	Localities			
	R1	R2	R3	R4
<b>Crustacea – Amphipoda</b>				
<i>Gammarus balcanicus</i> Schaferna, 1922	14.48	2.59	1.27	15.51
<i>Gammarus fossarum</i> Koch, 1835	2.12	0.95	1.49	16.34
<b>Insecta - Ephemeroptera</b>				
<i>Baetis (Baetis) alpinus</i> (Pictet, 1843)	1.79	1.65	0.27	0.89
<i>Baetis (Baetis) lutheri</i> Müller-Liebenau, 1967	0.17	0.82	0.71	0.05
<i>Baetis (Rhodobaetis) rhodani</i> (Pictet, 1843)	11.22	8.67	5.43	3.51
<i>Baetis</i> sp.	5.42	3.08	1.37	1.37
<i>Ecdyonurus</i> sp.	0.21	0	0.07	0
<i>Ephemerella ignita</i> (Poda, 1761)	20.39	2.85	5.05	1.48
<i>Ephemerella</i> sp.	9.94	2.21	1.44	0.89
<i>Ephemera vulgata</i> Linnaeus, 1758	1.67	0.04	0.68	0.25
<i>Paraleptophlebia</i> sp.	0	0	0.15	0.69
<i>Rhithrogena</i> sp.	2.75	1.08	0.02	0.19
<b>Insecta - Plecoptera</b>				
<i>Amphinemura sulcicollis</i> (Stephens, 1836)	0.04	0	0	0
<i>Dinocras megacephala</i> (Klapálek, 1907)	1.62	0.60	0.15	0.05
<i>Dinocras</i> sp.	0.12	0	0	0
<i>Leuctra</i> sp.	0	0	0	0.10
<i>Nemurella pictetii</i> (Klapálek, 1900)	0	0.04	1.02	0.35
<i>Nemoura</i> sp.	0	0	0	0.10
<b>Insecta - Coleoptera</b>				
<i>Elmis aenea</i> (Müller, 1806)	0.29	0.04	0	0
<i>Haliphus confinis</i> Stephens, 1828	0.12	0	0	0.05
<i>Limnius</i> sp.	1.08	0.34	0	0
<b>Insecta - Diptera</b>				
<i>Antocha vitripennis</i> (Meigen, 1830)	0.08	0	0	0
<i>Atherix ibis</i> (Fabricus, 1798)	0.04	0	0	0
<i>Atherix marginata</i> (Fabricus, 1781)	0.04	0	0	0
<i>Bezzia</i> sp.	0.29	0.52	0.17	0.69
<i>Clinocera nigra</i> Meigen, 1804	0.12	0	0	0.24
<i>Dinocrata bimaculata</i> (Schummel, 1829)	0	0	0	0.39
<i>Hamerodromia unilineata</i> Zetterstedt, 1842	0.04	0.35	0.1	0.35
<i>Limnophora riparia</i> (Fallen, 1824)	0	0	0	0.1
<i>Nemotelus</i> sp.	0	0	0	0.25
<i>Psychoda</i> sp.	0	0	0.05	0
<i>Simulium</i> ( <i>Simulium</i> ) <i>ornatum</i> Meigen, 1818	0.83	34.07	24.62	6.40
<i>Tabanus</i> sp.	0.41	0	0	0.05
<i>Tipula</i> sp.	0.04	0	0	0.15
<i>Tonnoiriella pulchra</i> (Eaton, 1893)	0.04	0.04	0	1.04
<b>Insecta - Chironomidae</b>				
<i>Brillia bifida</i> (Kieffer, 1909)	0.38	0.30	0.39	0.35
<i>Conchapelopia melanops</i> (Meigen, 1818)	0	0	0	0.30



MACROZOOBENTHOS	Localities			
	R1	R2	R3	R4
<b>Insecta - Chironomidae</b>				
<i>Cricotopus bicinctus</i> (Meigen, 1818)	0.04	1.08	0.88	1.73
<i>Cricotopus triannulatus</i> agg.	0	0	0.56	2.32
<i>Cricotopus trifascia</i> Edwards, 1929	0.17	0.09	0	0
<i>Diamesa insignipes</i> Kieffer 1908	0.54	0.83	0	0.49
<i>Eukiefferiella claripennis</i> (Lundbeck, 1898)	0.04	0.52	0.37	0.89
<i>Eukiefferiella ilkleyensis</i> (Edwards, 1929)	0.04	0.21	0.07	0.49
<i>Heleniella orniticollis</i> (Edwards, 1929)	0	0.13	0	0
<i>Macropelopia nebulosa</i> (Meigen, 1804)	0	0	0.20	0.10
<i>Micropsectra</i> sp.	0.04	2.90	1.25	0.49
<i>Nanocladius rectinervis</i> (Kieffer, 1911)	0	0.04	0	0
<i>Natarsia</i> sp.	0	0	0.02	0
<i>Orthocladius (Eudactiolocladius)</i> sp.	0.12	0.48	0.27	0.15
<i>Orthocladius (Euorthocladius) rivulorum</i> Kieffer, 1909	0	0	0	0.1
<i>Orthocladius (Euorthocladius)</i> sp.	0.08	0.30	0.12	0
<i>Orthocladius (Orthocladius) frigidus</i> (Zetterstedt, 1838)	0.96	0	0	0.10
<i>Orthocladius (Orthocladius)</i> sp.	0.29	0.47	0.39	0
<i>Parametriocnemus stylatus</i> (Spärck, 1923)	0.29	0.22	0	0.24
<i>Paratrichocladius rufiventris</i> (Meigen, 1830)	0.13	0.17	0.05	0.24
<i>Paratrissocladius excerptus</i> (Walker, 1856)	0.04	0	0	0
<i>Polypedilum (Polypedilum) albicorne</i> (Meigen, 1838)	0	0.09	0	0
<i>Polypedilum (Polypedilum) convictum</i> (Walker, 1856)	0	0.13	0.07	0.1
<i>Polypedilum (Polypedilum) pedestre</i> (Meigen, 1830)	0	0.04	0.02	0.05
<i>Polypedilum (Polypedilum) tritum</i> (Walker, 1856)	0.04	0	0.15	0
<i>Potthastia gaedii</i> (Meigen, 1838)	0.04	0	0	0
<i>Potthastia longimana</i> Kieffer, 1922	0.04	0.18	0.19	0.25
<i>Prodiamesa olivacea</i> (Meigen, 1818)	0.04	0.09	2.57	0.36
<i>Rheocricotopus (Rheocricotopus) fuscipes</i> (Kieffer, 1909)	0	0.09	0.05	0.15
<i>Stictochironomus pictulus</i> (Meigen, 1830)	0	0	0.05	0
<i>Thienemanniella clavicornis</i> agg	0	0.04	0.05	0.10
<i>Tvetenia discoloripes</i> (Goetghebuer & Thienemann, 1936)	1.79	15.09	19.50	27.71
<b>Insecta - Trichoptera</b>				
<i>Adicella</i> sp.	0.75	0.04	0.02	0.20
<i>Glossosoma intermedium</i> (Klapalek, 1892)	0.30	0.04	0	0
<i>Hydropsyche angustipennis</i> (Curtis, 1834)	0.33	0	0.02	0
<i>Hydropsyche</i> sp.	0.12	0.13	0	0
<i>Micrasema</i> sp.	0.91	1.25	0.1	0.05
<i>Micropterna lateralis</i> (Stephens, 1837)	0.04	0	0	0.05
<i>Odontocerum albicorne</i> (Scopoli, 1763)	0	0	0	0.10
<i>Rhyacophila dorsalis</i> (Curtis, 1834)	0	0.04	0	0.05
<i>Rhyacophila fasciata</i> Hagen, 1859	1.04	0.60	0.29	0.84
<i>Rhyacophila tristis</i> Pictet, 1834	1.21	0.47	0.1	0.20
<i>Rhyacophila</i> sp	0.71	0.26	0.1	0.05

MACROZOOBENTHOS	Localities			
	R1	R2	R3	R4
<b>Insecta - Trichoptera</b>				
<i>Sericostoma schneideri</i> (Kolenati, 1848)	1.50	0.13	0	0
<i>Silo palipes</i> (Fabricius, 1781)	0.58	0.17	0.32	0