

BOOK of ABSTRACTS

5 – 8 December, 2022, Ljubljana, Slovenia











22nd European Meeting on Environmental Chemistry

BOOK of ABSTRACTS

5 – 8 December, 2022, Ljubljana, Slovenia

Book of Abstracts: 22nd European Meeting on Environmental Chemistry 5-8 December 2022, Ljubljana, Slovenia

Organised by: University of Ljubljana (Faculty of Health Sciences),

Association of Chemistry and the Environment

Edited by: assist prof. dr. Mojca Bavcon Kralj, prof. dr. Polonca Trebše,

dr. Franja Prosenc, Urška Šunta, dr. Lara Čižmek

Published by: University of Ljubljana Press

For the publisher: Gregor Majdič, rector of the University of Ljubljana

Issued by: University of Ljubljana, Faculty of Health Sciences

For the issuer: Andrej Starc, Dean of Faculty of Health Sciences,

University of Ljubljana

Cover design: Tina Jeler

Cover page photo: ©Luka Esenko, Ljubljana Tourism photo library

(www.visitljubljana.com)

Printed by: A-media marketing in oblikovanje d.o.o., Slovenia

Print run: 125

Ljubljana, 2022 First edition

Publication is free of charge.

First e-edition. Digital copy of the book is available on: https://e-knjige.ff.uni-lj.si

DOI: 10.55295/9789612970352

Kataložni zapis o publikaciji (CIP) pripravili v Narodni in univerzitetni knjižnici v Ljubljani

Tiskana knjiga COBISS.SI-ID 130826243 ISBN 978-961-297-034-5

E-knjiga

COBISS.SI-ID 130983427

ISBN 978-961-297-035-2 (PDF)

Copyright © 2022 by University of Ljubljana, Faculty of Health Sciences

All rights reserved. This book, or parts thereof, may not be reproduced in any form or by any means electronic or mechanical, including photocopying, recording or any information storage and retrieval system now known or to be inverted, without written permission from the Publisher.

Organising Committee

Mojca Bavcon Kralj, *Chair*Polonca Trebše
Franja Prosenc
Urška Šunta
Lara Čižmek
Nevena Antić

Scientific committee


Polonca Trebše, Chair, Slovenia Franja Prosenc, Co-Chair, Slovenia Ester Heat. Slovenia Gilles Mailhot, France Urška Lavrenčič Štangar, Slovenia Albert Lebedev, Russia Helena Prosen. Slovenia Marco Contin, Italy Mohamed Sarakha, France Jean-Luc Boudenne. France Jan Schwarzbauer, Germany Branimir Jovančićević, Serbia Malgorzata Iwona Szynkowska-Jozwik, Poland Sanja Babić, Croatia Tjaša Griessler Bulc, Slovenia Nuno Ratola, Portugal

Biohydrometallurgical Methods for Cobal and Nickel Recovery from Printed PC Motherboard

<u>J. Avdalović</u>^{1,*}, S. Miletić¹, S. Spasić¹, N. Lugonja¹, B. Dojćinović¹, J. Milić¹, V. Conić³

(1) Institute of Chemistry, Technology and Metallurgy, University of Belgrade, Njegoševa 12, Belgrade, Serbia, (2) Mining and Metallurgy Institute Bor, Zeleni bulevar 35, Bor, Serbia

*jelena.avdalovic@ihtm.bg.ac.rs



E-waste is one of the fastest growing waste. E-waste contains lots of valuable resources together with plenty of heavy metals and hazardous materials, which are considered both an attractive polymetallic secondary source and an environmental contaminant. Therefore, recycle of valuable metallic from them are necessary and compulsory in many developed/developing countries [1].

The aim of our study was to investigate the potential of using the *Acidithiobacillus* sp. B2, to recovery Co and Ni from printed PC motherboard. *Methodology*

Chemical analysis of electronic waste and pyrite The electronic waste (after separating of the plastic parts) and pyrite were pulverized and sieved through a 63 µm stainless steel sieve in preparation for chemical and leaching studies.

Electronic waste preparation for the leaching experiment

The presence of alkali components in electronic waste is considered inconvenient for the reaction between the electronic waste and the acidic iron(III) sulphate solution. Hence, it is necessary to neutralize the electronic waste before adding the bacterial culture which would generate the oxidant. Before the leaching experiment, electronic waste was dispersed in 0.05 M H₂SO₄ solution, shaken for 48 h, filtered from the solution, washed out with deionized water and dried at 110 °C [2].

Leaching experiments

The leaching experiments were carried out with bacterium *Acidithiobacillus* sp. B2. Experimental conditions were: leaching period of 20 d, 50 ml leaching solution (g/dm³): FeSO₄ x 7H₂O (44.8) (NH₄)₂SO₄ (3), K₂HPO₄ (0.5), MgSO₄ x 7H₂O(0.5),

KCl (0.1), Ca(NO₃)₂ (0.01), at a pH of 2.5 in 150 mL Erlenmeyer flasks at a pulp density of 10% (m/V) (5 g leaching substrate in 50 ml solution). The pH of the leaching solution was maintained at a constant value during the leaching process. The initial number of microogranisms was 10⁹ per mL, determined by the Most Probable Number method. The control suspension had the same chemical content and pH value as the suspension with *Acidithiobacillus* sp. B2 but the *Acidithiobacillus* sp. B2 culture had been inactivated by sterilization. The study was realized on a horizontal shaker. The incubation temperature was 28 °C [2].

Results and conclusions

The results of the effective metal leaching (calculated by subtraction of percentage metal leaching in the control suspension from that in the *Acidithiobacillus* sp. B2 suspension) are as follows: Ni(36%)>Co(15%). E-waste recycling will be a very important sector in the near future from economic and environmental perspectives. Recycling technology must ensure that e-waste is processed in an environmentally friendly manner. Authors feel that biohydrometallurgical method will be a key player in the metal recovery.

Acknowledgements

This work was financially supported by the Ministry of Education, Science and Technological Development of the Republic of Serbia (Grant no. 451-03-9/2022-14/200026 and Grant no. 451-03-68/2022-14/200052).

References

[1] M. Kaya (2016) Waste Management, 57, 64-90. [2] J. Jekić, V. Beškoski, G. Gojgić-Cvijović, M. Grbavčić, M.M. Vrvić (2007) Journal of the Serbian Chemical Society, 72, 615-619.