

Scientific Research **ABSTRACTS**

Volume 7



XVI INTERNATIONAL CLAY CONFERENCE

XVI
INTERNATIONAL CLAY CONFERENCE
ICC 2017

Granada, Spain
July, 17-21, 2017

**SCIENTIFIC RESEARCH
ABSTRACTS**

VOLUME 7



Copyright © 2017 by the Authors. Published by Digilabs (Italy) under request of Sociedad Española de Arcillas - SEA. Selection by the Scientific Committee of ICC 2017.

The policy of Scientific Research Abstracts is to provide full access to the bibliographic contents if a correct citation to the original publication is given (rules as in CC 3.0). Therefore, the authors authorize to i) print the abstracts; ii) redistribute or republish (e.g., display in repositories, web platforms, etc.) the abstracts; iii) translate the abstracts; iv) reuse portions of the abstracts (text, data, tables, figures) in other publications (articles, book, etc.).

XVI International Clay Conference - ICC 2017

Granada, Spain, July 17-21, 2017

Organized by

Sociedad Española de Arcillas - SEA

Scientific Research Abstracts - Volume 7

Editor: Alberto López Galindo

ISSN 2464-9147 (Online)

ISBN: 978-88-7522-089-1

Publisher: Digilabs - Bari, Italy

Cover: Digilabs - Bari, Italy

Printed in Italy - Global Print Srl - Gorgonzola (MI)

Citations of abstracts in this volume should be referenced as follows:

<Authors> (2017). <Title>. Scientific Research Abstracts, 7, <page>. Digilabs Pub., Bari, Italy, pp. 833.

Open access: <https://www.scientevents.com/scientific-research-abstracts/>

XVI ICC - 16TH INTERNATIONAL CLAY CONFERENCE

ORGANIZED BY:

Sociedad Española de Arcillas (SEA)

UNDER THE AUSPICES OF:

- Association Internationale pour l'Étude des Argiles (AIPEA)
- Consejo Superior de Investigaciones Científicas (CSIC)
- Universidad de Granada (UGR)
- Ministerio de Economía, Industria y Competitividad
- Ayuntamiento de Granada
- Junta de Andalucía
- Instituto Andaluz de Ciencias de la Tierra (IACT, CSIC-UGR)

HONORARY COMMITTEE

Presidency: His Royal Majesty Felipe VI of Borbon, King of Spain

- Francisco Cuenca Rodríguez. Mayor of the City of Granada
- Emilio Lora Tamayo D'Ocon. President of the Higher Council for Scientific Research (CSIC)
- Pilar Aranda Ramírez. Vice-Chancellor of the University of Granada

ORGANIZING COMMITTEE

- Alberto López Galindo. Conference Chairman. Instituto Andaluz de Ciencias de la Tierra (Consejo Superior de Investigaciones Científicas - Universidad de Granada, CSIC - UGR)
- César Viseras Iborra. Treasurer. Departamento de Farmacia y Tecnología Farmacéutica (UGR) and Instituto Andaluz de Ciencias de la Tierra (CSIC-UGR)
- Javier Huertas Puerta. SEA President. Instituto Andaluz de Ciencias de la Tierra (CSIC-UGR)
- Fernando Nieto García. Departamento de Mineralogía y Petrología (UGR) and Instituto Andaluz de Ciencias de la Tierra (CSIC-UGR)
- Francisca Martínez Ruiz. Instituto Andaluz de Ciencias de la Tierra (CSIC-UGR)
- C. Ignacio Sainz Díaz. Instituto Andaluz de Ciencias de la Tierra (CSIC-UGR)

SCIENTIFIC COMMITTEE

- Abdelmonem Amer, Faculty of Agriculture, Menoufia University, Egypt
- Alberto López Galindo, Instituto Andaluz de Ciencias de la Tierra, CSIC-UGR, Spain
- Andrea Cherkouk, Institute of Resource Ecology, Helmholtz-Zentrum Dresden Rossendorf, Germany
- Andrey Kalinichev, Laboratoire SUBATECH, École des Mines de Nantes, France
- Andriy Kovalenko, National Institute for Nanotechnology, Department of Mechanical Engineering, University of Alberta, Canada
- Anja M. Schleicher, Deutsches GeoForschungsZentrum GFZ, Germany
- Antonio Gil, Public University of Navarra, Spain
- Araceli Perez-Sanz, Natural History Museum of London, United Kingdom
- Balwant Singh, Centre for Carbon, Water and Food, The University of Sydney, Australia
- Binoy Sarkar, Future Industries Institute, University of South Australia, Australia
- Blanca Bauluz, Departamento de Ciencias de la Tierra, Universidad de Zaragoza, Spain
- Bruno Lanson, ISTerre - CNRS, Univ. Grenoble Alpes, France
- C. Ignacio Sainz Díaz, Instituto Andaluz de Ciencias de la Tierra. CSIC - UGR, Spain
- Carola Aguzzi, Pharmaceutical Technology Department, University of Granada, Spain

- César Viseras, Pharmaceutical Technology Department (UGR) and IACT (CSIC-UGR), Spain
- Chris Greenwell, Department of Earth Sciences, Durham University, United Kingdom
- Christian Detellier, Department of Chemistry and Biomolecular Sciences, University of Ottawa, Canada
- Christian Mavris, Natural History Museum of London, United Kingdom
- Christine Taviot Gueho, Université Clermont Auvergne, UCA, France
- Chun-Hui Zhou, College of Chemical Engineering, Zhejiang University of Technology, China
- Claudio Cameselle, University of Vigo, Chemical Engineering, Spain
- David Bish, Indiana University Bloomington, United States
- Dilip Gersappe, Stony Brook University, United States
- Dimitrios Papoulis, Geology Department, University of Patras, Greece
- Dionisios Panagiotaras, Department of Mechanical Engineering Technological Educational Institute (TEI), Greece
- Eduardo Ruiz-Hitzky, Materials Science Institute of Madrid, CSIC, Spain
- Emmanuel Joussein, Université de Limoges, GRESE, France
- Eric Ferrage, IC2MP-HydrASA, CNRS, Univ. Poitiers, France
- Erick Ramanaidou, CSIRO, Australia
- Erwan Paineau, Laboratoire de Physique des Solides, CNRS-Université Paris Sud, France
- Fatimah Is Fatimah, Chemistry Department, Islamic University of Indonesia, Indonesia
- Fernanda Andreola, Engineering Dept."Enzo Ferrari"- University of Modena and Reggio Emilia, Italy
- Fernando Nieto, Dept. Mineralogy and Petrology (UGR) and IACT (CSIC-UGR), Spain
- Francisca Martínez Ruíz, Instituto Andaluz de Ciencias de la Tierra, CSIC-UGR, Spain
- Georgios Christidis, Technical University of Crete, School of Mineral Resources Engineering, Greece
- Giora Rytwo, MIGAL Research Institute, Tel Hai College, Israel
- Giuseppe Lazzara, University of Palermo, Italy
- Hendrik Heinz, Department of Chemical and Biological Engineering, University of Colorado at Boulder, United States
- Henri van Damme, MIT, United States
- Hongting Zhao, Hangzhou Dianzi University, China
- Horst Zwingmann, Kyoto University, Japan
- Horst-Michael Ludwig, F.A. Finger-Institut für Baustoffkunde, Bauhaus Universität Weimar, Germany
- Ibnelwaleed Hussein, Gas Processing Center, College of Engineering, Qatar University, Qatar
- Ignazio Allegretta, Dipartimento di Scienze del Suolo, della Pianta e degli Alimenti - Università degli Studi di Bari "Aldo Moro", Italy
- Isabel Abad, Universidad de Jaén, Spain
- Jaime Cuevas, Universidad Autónoma de Madrid, Spain
- James Njuguna, Robert Gordon University, United Kingdom
- Javier Cuadros, Natural History Museum of London, United Kingdom
- Javier Huertas Puerta, Instituto Andaluz de Ciencias de la Tierra, CSIC-UGR, Spain
- Jean-François Deconinck, University of Burgundy, France
- Jean-Luc Gardette, Université Blaise Pascal, France
- Jeanne Percival, Geological Survey of Canada, Natural Resources, Canada
- Jeff Wilson, Hutton Institute, United Kingdom
- Joao Labrincha, University of Aveiro, CICECO, Portugal
- Jocelyne Brendlé, Institut de Science des Matériaux de Mulhouse, UMR-CNRS, France
- Jon Dawson, University of Southampton, United Kingdom

- Jon Otto Fossum, Norwegian University of Science and Technology, Norway
- Jon Phipps, IMERYS, Par Moor Centre, Cornwall, United Kingdom
- Jørgen Skibsted, Department of Chemistry, Aarhus University, Denmark
- Josef Breu, Department of Inorganic Chemistry, University of Bayreuth, Germany
- Jun Kawamata, Yamaguchi University, Japan
- Kalpana Katti, North Dakota State University, United States
- Karen Scrivener, Laboratory of Construction Materials, EPFL, Lausanne, Switzerland
- Katarzyna Górnjak, AGH-University of Science and Technology, Poland
- Lahcen Daoudi, University Cadi Ayyad, Morocco
- Liu Zhong-Wen, Shaanxi Normal University, China
- Makoto Ogawa, Vidyasirimedhi Institute of Science and Technology, Thailand
- Manuel Regueiro, Instituto Geológico y Minero de España, Spain
- Marcelo Sánchez, Texas A&M University, United States
- Maria E. Romero Gonzalez, Department of Geography, University of Sheffield, United Kingdom
- Maria Timofeeva, Institute of Catalysis SB RAS, Russia
- María Victoria Villar, Applied Environmental Geology Unit, CIEMAT, Spain
- Maryline Soubrand, Université de Limoges, GRESE, France
- Mercedes Suárez Barrios, Dpto. Geología, Universidad de Salamanca, Spain
- Meriam El Ouahabi, University of Liège, Belgium
- Michael Stamatakis, National University of Athens, Department of Geology & Geoenvironment, Greece
- Michele Dondi, Inst. Sci. and Technol. Ceram, CNR-ISTEC, Italy
- Miguel Angel Vicente, University of Salamanca, Spain
- Miriam Rafailovich, Stony Brook University, United States
- Mohamed Elsayed, Soil, Water and Environmental Research Institute, Agriculture Research Center, Egypt
- Mohamed Larbi Merroun, Departamento de Microbiología, Universidad de Granada, Spain
- Mohamed Mahmoud, Petroleum Engineering Department, KFUPM, Saudi Arabia
- Nathalie Fagel, University of Liège, AGES, Belgium
- Nobuyoshi Miyamoto, Department of Life, Environment, and Materials Science, Fukuoka Institute of Technology, Japan
- Oladipo Omotoso, Suncor Energy Inc., Strategic Technology, Canada
- Parvez I. Haris, De Montfort University, The Gateway, Leicester, United Kingdom
- Patrick Davidson, Laboratoire de Physique des Solides, Université Paris-SUD, France
- Peter C. Ryan, Middlebury College, Department of Geology, United States
- Pierre Pellenard, Univ. Bourgogne-Franche Comté, CNRS, France
- Pilar Aranda, CSIC, Materials Science Institute of Madrid, Spain
- Pooria Pasbakhsh, Monash University, Malaysia
- Prakash Malla, Thiele Kaolin Company, Sandersville, United States
- Pratheeep Kumar Annamalai, The University of Queensland, Australia
- Rafael Ferreiro-Mählmann, Tech. Univ. Darmstadt, Inst Angew Geowissensch, Germany
- Ralph Milliken, Brown University, Providence, United States
- Rawil Fakhrullin, Kazan Federal University, Russia
- Ruby Christian, Institut Jean Barriol, Laboratoire de Chimie Physique et Microbiologie pour l'Environnement, Université de Lorraine, France
- Saeed Farrokhpay, University of Lorraine, France
- Saverio Fiore, Istituto di Metodologie per l'Analisi Ambientale, CNR, Italy

- Sayako Inoue, Virginia Tech, Blacksburg, United States
- Sebastien Potel, B2R - UniLaSalle, France
- Simon Kemp, British Geological Survey, United Kingdom
- Sridhar Komarneni, Materials Research Laboratory, The Pennsylvania State University, United States
- Stephen Hillier, The James Hutton Institute, United Kingdom
- Sylvie Rossignol, Université de Limoges, SPCTS, France
- Takuya Fujimura, Shimane University, Japan
- Tanushree Choudhury, School of Advanced Sciences, VIT Chennai, India
- Teruyuki Nakato, Department of Applied Chemistry, Kyushu Institute of Technology, Fukuoka, Japan
- Tomasz Kozlowski, Kielce University of Technology, Poland
- Tomohiko Okada, Shinshu University, Japan
- Toshihiro Kogure, University of Tokyo, Japan
- Vanessa Prevot, Institut de Chimie de Clermont-Ferrand, UMR-CNRS, France
- Vera Leopold Constantino, Departamento de Química Fundamental Instituto de Química - Universidade de São Paulo, Brazil
- Vincent Trincal, IMT - Lille Douai, France
- Wen-An Chiou, University of Maryland, United States
- Ying Liu, Stony Brook University, United States
- Yury Shchipunov, Russian Academy of Sciences, Institute of Chemistry, Russia

ADVISORY COMMITTEE

- Balwant Singh, Centre for Carbon, Water and Food, The University of Sydney, Australia
- Christopher Breen, Sheffield Hallam University, United Kingdom
- Daisy Barbosa, Petroleo Brasileiro S.A. - Research Center (CENPES), Rio de Janeiro, Brazil
- Eduardo Ruiz Hizky, Materials Science Institute of Madrid, CSIC, Spain
- Faiza Bergaya, CRMD-CNRS-University of Orleans, France
- Fakher Jamoussi, Water Researches and Technologies Center, Tunisia
- Fernando Rocha, Geobiotec, Universidade de Aveiro, Portugal
- Georgios Christidis, Technical University of Crete, School of Mineral Resources Engineering, Greece
- Helge Stanjek, Institute for Clay & Interface Mineralogy, Aachen, Germany
- Javier Huertas Puerta, Instituto Andaluz de Ciencias de la Tierra, CSIC-UGR, Spain
- Jean Louis Robert, Institut de Minéralogie, de Physique des Matériaux et de Cosmochimie, UMR, Paris, France
- Jeanne Percival, Geological Survey of Canada, Natural Resources, Ottawa, Canada
- Joseph Stucki, Department of Natural Resources and Environmental Sciences, University of Illinois, United States
- Makodo Ogawa, Department of Chemical and Biomolecular Engineering Institute of Energy Science and Engineering, Vidyasirimedhi Institute of Science and Technology, Thailand
- Massimo Setti, Dipartimento di Scienze della Terra e dell'Ambiente, Università di Pavia, Italy
- Mercedes Suárez, Dpto. Geología, Universidad de Salamanca, España
- Patricia Aparicio, Dpto. Cristalográfia, Mineralogía y Química Agrícola, Universidad de Sevilla, España
- Sabine Petit, IC2MP, UMR7285 CNRS, Université de Poitiers, France
- Saverio Fiore, Istituto di Metodologie per l'Analisi Ambientale, CNR, Bari, Italy
- Selahattin Kadir, Eskişehir Osmangazi Üniversitesi, Mühendislik Mimarlık Fakültesi, Turkey

- Stephen Gugegnheim, Department of Earth and Environmental Sciences, University of Illinois, Chicago, United States
- Tsutomu Sato, Graduate School of Engineering, Hokkaido University, Sapporo, Japan
- Victoria Krupskaya, Institute of Ore Geology, Petrography, Mineralogy and Geochemistry, Moscow, Russia

PREVIOUS INTERNATIONAL CLAY CONFERENCES:

- 1963: 1st ICC Stockholm - Sweden. Chair: I. Th. ROSENQVIST
- 1966: 2ndICC Jerusalem - Israel Chair: I.K. BENTOR
- 1969: 3rd ICC Tokyo - Japan. Chair: T. SUDO
- 1972: 4th ICC Madrid - Spain. Chair: E. GUTTIEREZ-RIOS
- 1975: 5th ICC Mexico City - Mexico. Chair: D. CORDOBA
- 1978: 6th ICC Oxford - UK. Chair: D. MITCHELL
- 1981: 7th ICC Bologna - Pavia - Italy. Chair: F. VENIALE
- 1985: 8th ICC Denver - USA. Chair: J.B. HAYES
- 1989: 9th ICC Strasbourg - France. Y. TARDY
- 1993: 10th ICC Adelaide - Australia. Chair: R.A. EGGLETON & R. FITZPATRICK
- 1997: 11th ICC Ottawa - Canada. Chair: H. KODAMA
- 2001: 12th ICC Bahia Blanca - Argentina. Chair: E.A. DOMIGUEZ & F. CRAVERO
- 2005: 13th ICC Tokyo - Japan. Chair: A. INOUE
- 2009: 14th ICC Castellaneta M. - Italy. Chair: S. FIORE
- 2013: 15th ICC Rio de Janeiro - Brazil. Chair: Sylvia M. COUTO ANJOS

INFLUENCE OF CLAY-BOUND SODIUM-DODECYL SULFATE ON ELECTROCHEMICAL BEHAVIOUR OF NICOTINE

TIHANA MUDRINIĆ*, ZORICA MOJOVIĆ, ALEKSANDRA MILUTINOVIĆ-NIKOLIĆ, NATAŠA JOVIĆ-JOVIČIĆ, PREDRAG BANKOVIĆ, SANJA MARINOVIC, DUŠAN JOVANOVIĆ

University of Belgrade - Institute of Chemistry, Technology and Metallurgy, Centre for Catalysis and Chemical Engineering,
Njegoševa 12, 11000 Belgrade, Republic of Serbia

In this study, electrode coating based on sodium dodecyl sulfate (SDS) bound to smectite clay was synthesized and characterized. In order to enable SDS bonding to clay surface, the acid modification of clay was previously performed at 90 °C for 2 h. The acid modification changed surface charge of smectite into positive, thus enabling electrostatic interaction with negative sulfate ions from SDS. The presence of SDS in SDS/acid modified smectite (SDS/AMS) structure was confirmed by elemental analysis. SEM analysis revealed the morphology of the obtained sample. Glassy carbon electrode (GCE) was modified with a suspension of the synthesized SDS/AMS and Nafion® solution (GCE-SDS/AMS) and a uniform film was obtained [1]. The electrochemical behaviour of nicotine was tested with modified GCE using cyclic voltammetry. It has been shown previously that the electrochemical response of nicotine on carbon based electrodes can be improved by adding SDS into electrolyte solution [2]. On the other hand, clays have the ability to preconcentrate analytes because of their porous structure and the presence of potential active sites [3]. Acid activated clays can be modified with SDS [4]. Therefore, the aim of this study was to investigate the influence of SDS bound to smectite on the electrochemical behaviour of nicotine. Britton-Robinson (BR) (0.1 M) supporting electrolyte buffer solutions in the pH range from 2.0-10.0 was used for preparing the supporting electrolyte of nicotine. The influence of the pH of the supporting electrolyte, scan rate and accumulation time were investigated and discussed. The GCE-SDS/AMS exhibited similar electrochemical behaviour in comparison with the bare GCE but with the differences in the intensity and position of peak corresponding to nicotine oxidation. The intensity of the oxidation peak was lower on the GCE-SDS/AMS than on the bare GCE. In contrast, the onset and peak potentials were significantly shifted towards less positive values on the GCE-SDS/AMS comparing with the bare GCE. On the other hand, the nicotine peak intensity increased gradually as the accumulation time increased. Therefore, selecting the appropriate accumulation time the sensitivity of the GCE-SDS/AMS can be improved. The above results demonstrate the possibility of use the synthesized SDS/AMS in the nicotine electrooxidation process.

Acknowledgment: This work was supported by the Ministry of Education, Science and Technological Development of the Republic of Serbia (Project No. III 45001).

- [1] Mudrinić T., Mojović Z., Milutinović-Nikolić A., Banković P., Dojčinović B., Vukelić N., Jovanović D. (2014). Beneficial effect of Ni in pillared bentonite based electrodes on the electrochemical oxidation of phenol. *Electrochimica Acta*, 92-99.
- [2] Levent A., Yardim Y., Senturk Z. (2009). Voltammetric behavior of nicotine at pencil graphite electrode and its enhancement determination in the presence of anionic surfactant. *Electrochimica Acta*, 190-195.
- [3] Fitch A. (1990). Clay-Modified Electrodes: A Review. *Clays and Clay Minerals*, 391-400.
- [4] Jović-Jovičić N., Mojović Z., Mojović M., Banković P., Ajduković M., Milutinović-Nikolić A., Jovanović D. Electrochemical behaviour of immobilized hemoglobin in alkaline solution. *Applied Surface Science*. Accepted manuscript, Available online 23 December 2016, <http://dx.doi.org/10.1016/j.apsusc.2016.12.151>.