

# Book of Proceedings

The Ninth International Congress of the Serbian Society of Mechanics July 5-7, 2023, Vrnjačka Banja, Serbia

### The Ninth International Congress of the Serbian Society of Mechanics, July 5-7, 2023, Vrnjačka Banja, Serbia – Book of Proceedings

### **Editor**

Professor Nenad Filipović Professor Miloš Kojić

### **Technical Editor**

Đorđe Dimitrijević

### **Proofreaders**

Neda Vidanović Miletić Milena Đorđević Marijana Dimović

Year of publication

2023

ISBN-978-86-909973-9-8

### **TABLE OF CONTENTS**

INTRODUCTION1
BOOK OF PROCEEDINGS3
UPGRADED TWO-STEP-SCALING APPROACH TO THE DTB CHARACTERIZATION OF FERRITIC STEELS4 Sreten Mastilović, Branislav Đorđević and Aleksandar Sedmak
REALIZATION OF THE BRACHISTOCHRONIC MOTION OF CHAPLYGIN SLEIGH IN A VERTICAL PLANE WITH UNILATERAL NONHOLONOMIC CONSTRAINT
PARALLELIZED SOFTWARE FOR FAST VIRTUAL STENTING SIMULATION OF PATIENT-SPECIFIC CORONARY  ARTERY
Tijana Đukic, Igor Saveljić and Nenad Filipović
LEADING EDGE SHAPE OPTIMIZATION OF A NOVEL FAMILY OF HYBRID DOLPHIN AIRFOILS35 Zorana Z. Dančuo, Ivan A. Kostić, Olivera P. Kostić, Aleksandar Č. Bengin and Goran S. Vorotović
MODELLING OF LANDSLIDE DYNAMICS: ROLE OF DISPLACEMENT DELAY AND NATURAL BACKGROUND  NOISE45  Srđan D. Kostić
A BRIEF REVIEW OF THE RESULTS OF FORCED VIBRATIONS OF ELASTICALLY COUPLED NANO-STRUCTURES
Marija Stamenković Atanasov and Ivan R. Pavlović
DYNAMIC BEHAVIOR OF A NANO-SYSTEM UNDER THE INFLUENCE OF MOVING EXTERNAL NANOPARTICLE .63 Marija Stamenković Atanasov, Danilo Karličić and Ivan R. Pavlović
FREE VIBRATION ANALYSIS OF FGM PLATES BY USING LAYER WISE DISPLACEMENT MODEL71 M. Ćetković
STABILITY ANALYSIS OF FGM PLATES USING LAYER WISE DISPLACEMENT MODEL81 M. Ćetković
VIBRATIONS OF A VISCOELASTIC ROD MODELED BY FRACTIONAL BURGERS CONSTITUTIVE EQUATIONS91 Slađan Jelić and Dušan Zorica
AN OVERVIEW: WITH THE ANĐELIĆ AND RAŠKOVIĆ TENSOR INTO TRANSFORMATIONS OF THE BASE VECTORS IN THE TANGENT SPACE OF THE POSITION VECTOR OF THE KINETIC POINT101 Katica R. (Stevanović) Hedrih
DEVELOPMENT OF A HYBRID FIXED-WING VTOL UNMANNED AERIAL VEHICLE109 Radoslav D. Radulović and Milica P. Milić
DETERMINATION OF THE OVERALL MATERIAL PARAMETERS IN THE SERIESPARALLEL ROCK-MASS MIXTURE119
Dragan M. Rakić, Miroslav Živković and Milan Bojović
CORRUGATION ELASTICITY AS A NEW PROPERTY OF NANOSTRUCTURED MATERIAL: HOLOGRAPHIC ANALYSIS OF APATURA BUTTERFLY WINGS128 Marina Simović Pavlović, Katarina Nestorović, Aleksandra Radulović, and Maja Pagnacco
DIFFERENT BUTTERFLY WING STRUCTURES AS AN INSPIRATION FOR MILITARY APPLICATIONS136 Marina Simović Pavlović, Katarina Nestorović, Darko Janković, Aleksandra Radulović and Maja Pagnacco
NONLINEAR SEA SURFACE WAVES
PHASE-FIELD MODELING OF HIGH CYCLIC FATIGUE IN BRITTLE MATERIALS

PREDICTING EPILEPTIFORM ACTIVITY USING MEMRISTIVE LONG SHORT-TERM MEMORY
AGE-RELATED PROBLEMS OF POLYPROPYLENE HERNIA MESHES
AN OVERVIEW: ABOUT TWO DOCTORATES IN SERBIAN SCIENCE ON BALL ROLLING AND NEW MODERN RESULTS
A NOTE ON THE EFFECT OF STATISTICAL SAMPLE SIZE ON FRACTURE TOUGHNESS CHARACTERIZATION IN THE DTB TRANSITION REGION
COMPARATIVE STRUCTURAL ANALYSIS OF ALUMINUM AND COMPOSITE WING OF PASSENGER AIRCRAFT 182 Radoslav D. Radulović, Milica P. Milić and Xun Fei
PREDICTING EPILEPTIFORM ACTIVITY USING MEMRISTIVE LONG SHORT-TERM MEMORY
ENSTROPHY STUDY OF THE TURBULENT SWIRLING FLOW IN PIPE
STOCHASTIC STABILITY OF THE TIMOSHENKO BEAM RESTING ON THE MODIFIED ELASTIC FOUNDATION . 205 Dunja Milić, Jian Deng, Vladimir Stojanović and Marko D. Petković
CHAPLYGIN SYSTEMS WITH GYROSOPIC FORCES
DEVELOPMENT OF A METHOD FOR THE CALCULATION OF MULTISTAGE GAS TURBINES AND ESTIMATION OF THE REQUIRED AMOUNT OF COOLING AIR
WAVE PROPAGATION IN PERIODIC TIMOSHENKO BEAMS ON DIFFERENT ELASTIC FOUNDATION TYPES 217 Nevena A. Rosić, Danilo Z. Karličić, Milan S. Cajić and Mihailo P. Lazarević
EXAMPLES OF INTEGRABLE NONHOLONOMIC SYSTEMS WITH AN INVARIANT MEASURE
FURTHER RESULTS ON ROBUST FINITE-TIME STABILITY NONSTATIONARY TWO-TERM NEUTRAL NONLINEAR PERTURBED FRACTIONAL - ORDER TIME DELAY SYSTEMS
EXPERIMENTAL AND NUMERICAL APPROACH TO NATURAL FREQUENCY OF TAPERED 3D PRINTED  CANTILEVER BEAM A TIP BODY
MECHANICAL RESPONSE OF V-SHAPED PROTECTIVE PLATES WITH DIFFERENT ANGLES UNDER BLAST LOADING
COMPARATIVE ANALYSIS OF SPH AND FVM NUMERICAL SIMULATIONS OF BLOOD FLOW THROUGH LEFT VENTRICLE
PHASE-FIELD MODELING OF LOW CYCLIC FATIGUE IN DUCTILE MATERIALS
AN OVERVIEW: ABOUT THREE MODELS OF MITOTIC SPINDLE OSCILLATIONS AND THEIR MODS
ANALYTICAL DESIGN OF RESONANT CONTROLLER APPLIED FOR SOLVING ROBOT ARM TRACKING PROBLEM
1 Cai D. Iviancio, 1011151av D. Sekara and Iviniano I. Lazarevie

ANALYSIS OF PLANAR COMPLEX MOTION OF A HOMOGENEOUS DISK AND A MATERIAL POINT WITH EULER-LAGRANGE EQUATIONS IN QUASI-VELOCITIES
EXPERIMENTAL AND NUMERICAL ANALYSIS OF THE STRENGTH OF A DRONE ARM MADE OF COMPOSITE MATERIAL
Petar R. Ćosić, Miloš D. Petrašinović, Aleksandar Grbović, Danilo Petrašinović, Mihailo Petrović, Veljko Petrović, Nikola Raičević and Boško Rašuo
A SIMPLIFIED NONLINEAR DYNAMIC MATHEMATICAL MODEL OF A CONTROLLED REAL TURBOJET ENGINE
Miloš M. Živanović
PARAMETER IDENTIFICATION OF VISCOELASTIC MATERIALS USING DIFFERENT DEFORMATION VELOCITIES
Iva R. Janković, Nenad M. Grahovac and Miodrag M. Žigić
SYSTEMATIC DESIGN OF A DESKTOP ROBOT ARM IN SOLIDWORKS AND MATLAB SIMULINK
AN ALTERNATIVE FOR THE GRÜNWALD-LETNIKOV-TURNER METHOD FOR SOLVING SET-VALUED FRACTIONAL DIFFERENTIAL EQUATIONS OF MOTION
DESIGNING, OPTIMISING AND FABRICATING OF MICROFLUIDIC DEVICES, BASED ON TOPOLOGY
OPTIMISATION AND 3D PRINTING
APPLICATION OF COMPOSITE SMEARED FINITE ELEMENT FOR MECHANICS (CSFEM) ON TUMOR GROWTH
MODEL
FORCED VIBRATIONS WITH BURGERS TYPE OF DAMPING
COMPARATIVE NUMERICAL ANALYSES OF TOOTH RESTORED WITH HYDROXYAPATITE CERAMIC INSERT VERSUS TRADITIONAL COMPOSITE RESTORATION
NUMERICAL SIMULATIONS IN THE DESIGN AND OPTIMIZATION OF A FLUID-DYNAMICAL VALVE IN REGENERATIVE BURNERS INSTALLATION
EXPERIMENTAL INVESTIGATION AND MATHEMATICAL MODELLING OF VORTEX STRUCTURES FOUND AT IMPINGING TURBULENT AXISYMMETRIC AIR JET MODIFIED BY LOW-AMPLITUDE SOUND MODULATION372 Dejan Cvetinović, Aleksandar Erić, Nikola Ćetenović, Djordje Čantrak, Jaroslav Tihon and Kazuyoshi Nakabe
NUMERICAL INVESTIGATION OF FLOWS AROUND SMALL-SCALE PROPELLERS: POSSIBILITIES AND CHALLENGES
VIBRATIONS OF FLUID-CONVEYING FUNCTIONALLY GRADED NANOTUBES
ON THE TRAIL OF VUJIČIĆ'S COORDINATES-INDEPENDENT POSITION VECTOR FORM: ROTATIONALLY-INVARIANT/(CLASSICALLY-)COVARIANT TRAJECTORIAL COORDINATES SYSTEM FORMULATION AND OTHER REPERCUSIOS FOR THE MECHANICS / DYNAMICS MODELING
INFLUENCE OF REFLECTED SHOCKWAVES ON NORMAL FORCE COEFFICIENT OF GRID FINS IN SUPERSONIC FLIGHT REGIME
IMPROVING AIRFOIL PERFORMANCE BY DESIGNED BLOWING
3D PRINTING TECHNOLOGY IN CRANIOPLASTY: CASE STUDY

ON DEVIATIONS IN NONLINEAR TIME DOMAIN REGIME OF VIBRATIONS OF THE PARTLY COUPLED STRUCTURES WITH THE CURVATURES
Vladimir Stojanović, Jian Deng, Dunja Milić and Marko D. Petković
CLOSED-FORM SOLUTIONS AND STABILITY OF SHELLS UNDER THE WHITE NOISE EXCITATION
DYNAMICS OF A MULTILINK AERODYNAMIC PENDULUM
DYNAMICS OF ASYMMETRIC MECHANICAL OSCILLATOR MOVING ALONG AN INFINITE BEAM-TYPE COMPLEX RAIL SYSTEM
THREE-LINK SNAKE ROBOT CONTROLLED BY AN INTERNAL FLYWHEEL
WAVE PROPAGATION CHARACTERISTICS OF CURVED HEXAGONAL LATTICE WITH RESONATORS
PARAMETRIC AMPLIFICATION IN PERIODIC CHAIN SYSTEM
MODELING AN INDENTATION OF A HEAD OF VIDEO-TACTILE SENSOR INTO A LINEAR ELASTIC TISSUE 444 Marat Z. Dosaev and Anfisa S. Rezanova
ELEMENTS OF THE THEORY OF CONSTITUTIVE RELATIONS AND FORMULATIONS OF THE LINEARIZED PROBLEMS ON STABILITY
DEVELOPMENT AND MOULD TECHNOLOGY FOR TESTING OF BIOCOMPOSITE STRUCTURES (APPLICATION FOR THERMOINSULATED BIO PLATES)
LEFT VENTRICLE CARDIAC HYPERTROPHY SIMULATIONS USING SHELL FINITE ELEMENTS
NONLINEAR CHARACTERIZATION OF A VIBRATION SYSTEM MODEL
AN EXERGAME-INTEGRATED IOT-BASED ERGOMETER SYSTEM FOR PERSONALIZED TRAINING OF THE ELDERLY
L-TYROSINE INFLUENCE ON THE REACTION KINETICS OF IODATEHYDROGEN PEROXIDE OSCILLATORY REACTION
PSO-OPTIMIZED FRACTIONAL ORDER ITERATIVE LEARNING CONTROLLER FOR 3 DOF UNCERTAIN EXOSKELETON SYSTEM
INHIBITORY EFFECT OF 4-HYDROXYCOUMARIN DERIVATIVE ON KRAS PROTEIN
GALLIC ACID DERIVATIVES AS INHIBITORS OF CARBOXY ANHYDRASES
DEEP LEARNING IN PIV APPLICATIONS
SECONDARY FLOWS OF PRANDTL'S SECOND KIND MECHANISM OF FORMATION AND METHOD OF PREDICTION

RESEARCH ON HIGH EFFICIENCY AND HIGH RELIABILITY PUMPS IN JIANGSU UNIVERSITY470 Ji Pei and Wenjie Wang
VISCOUS GENERALIZED MAXWELL-STEFAN MODEL OF DIFFUSION
COMPUTATIONAL ANALYSIS OF DRUG EFFECTS ON HYPERTROPHIC CARDIOMYOPATHY
OBLIQUE TRANSITION IN HIGH-SPEED SEPARATED BOUNDARY LAYERS
THERMODINAMICAL RESTRICTIONS FOR MOVING POINT LOAD MODEL INVOLVING GENERALIZED  VISCOLEASTIC FOUNDATION
Lidija Z. Rehlicki Lukešević, Marko B. Janev, Branislava B. Novaković and Teodor M. Atanacković  FLEXIBLE DEPLOYABLES MADE FROM SOFT KIRIGAMI COMPOSITES
THIN COMPOSITE PLATES WITH STRESS CONCENTRATORS ANALYZED BY THEORY OF CRITICAL DISTANCES
Ivana D. Atanasovska and Dejan B. Momčilović
STEADY STATE SOLUTION FOR DYNAMICS OF A NONIDEAL CRANKSLIDER MECHANISM WITH AN ACTIVE MASS DAMPER (AMD)
Julijana Simonović, Nikola D. Nešić, José Manoel Balthazar, Maurício Aparecido Ribeiro and Jorge Luis Palacios Felix
DESIGN AND OPTIMIZATION OF SPLITTER BLADE OF RETURN CHANNEL FOR THE IMPROVEMENT OF PUMP TURBINE PERFORMANCE
AN OVERVIEW: ON NONLINEAR DIFFERENTIAL EQUATIONS AND INTEGRALS OF THE DYNAMICS OF BALL ROLLING ALONG CURVED LINES AND SURFACES
A SIS MODEL WITH A SATURATED INCIDENCE RATE
MODELING OF PENETRATION DEPTH OF A SHAPED CHARGE JET
EFFECT OF SMOOTH MUSCLE ACTIVATION IN THE STATIC AND DYNAMIC MECHANICAL CHARACTERIZATION OF HUMAN AORTAS
Marco Amabili, Ivan Breslavsky, Francesco Giovanniello, Giulio Franchini, Ali Kassab and Gerhard Holzapfel
PLANE MOTION OF A BODY RESTING ON ONE CYLINDRICAL HINGE AND ONE SLIDING ELASTIC SUPPORT RESTING ON A ROUGH PLANE
THE INFLUENCE OF MAGNUS FORCE ON TURBULENT PARTICLE-LADEN FLOWS IN HORIZONTAL NARROW CHANNEL
Darko Radenković and Milan Lečić
ANALYTICAL AND NUMERICAL ANALYSIS OF COMPRESSIBLE ISOTHERMAL FLOW BETWEEN PARALLEL PLATES
Petar V. Vulićević, Snežana S. Milićev and Nevena D. Stevanović
FREQUENCY BAND STRUCTURE ANALYSIS OF A PERIODIC BEAM-MASS SYSTEM FOR PIEZOELECTRIC ENERGY HARVESTING
STABILITY OF PARAMETRIC VIBRATIONS OF THE COUPLED RAYLEIGH BEAMS



## DEVELOPMENT AND MOULD TECHNOLOGY FOR TESTING OF BIOCOMPOSITE STRUCTURES (APPLICATION FOR THERMOINSULATED BIO PLATES)

Marija Baltić<sup>1</sup>, Milica Ivanović<sup>1</sup>, Dragoljub Tanović<sup>1</sup> and Miloš Vorkapić<sup>2</sup>

<sup>1</sup> Faculty of Mechanical Engineering, University of Belgrade, Kraljice Marije 16, 11120 Belgrade 35

e-mail: mbaltic@mas.bg.ac.rs,

#### **Abstract**

Biocomposite materials are a combination of two or more different biomaterials at the macroscopic level, with competitive mechanical and insulation properties, relatively stable when exposed to high temperatures and tailorable. In this paper, materials are with a vegetative part of fungi (mycelium-mesh structure of hyphae) which are increasingly used to create biocomposites with unique processing technology. The vegetative part of a fungus called mycelium, can serve as a natural binder for products made of biocomposite and acts like a self-assembling adhesive by digesting and adhering to the surface of specific organic matter. This paper presents the development of mould technology to set the biocomposite structure and test its mechanical characteristics. The primary purpose of the mould is to bring the loose natural material into a solid preparation following the standards ASTM D7250 and ASTM D1037, which include testing the technologically prepared and hardened sample for tensile and pressure. Development and moulding of biocomposite are the technological processes of drying after sowing mycelium so a variant of the mould with a perforated upper part was used to harden the samples thoroughly.

**Keywords**: mycellium biocomposite, mould, 3D printing, testing, thermoinsulation.

### 1. Introduction

With global carbon emissions of 39% [1], the building industry has a large responsibility to constantly propose new and improved low-carbon solutions. It takes over a million years to decompose standard synthetic thermal insulation materials. The general characteristic of organic materials is that they have a lower coefficient of thermal conductivity and a higher heat capacity compared to most synthetic materials. The thermal conductivity of such materials varies significantly, greatly depending on different characteristics: degree of porosity, the temperature of the material, the moisture content, the direction of fiber propagation, which affects the direction of the temperature gradient. Mycelium-based polymers hold special potential as thermal insulation foams due to their low thermal conductivity and inherent fire safety features. Research that has been done on thermal conductivities refers that mycelium composites based on hemp fibers or wheat straw have low thermal conductivities (0,04 W/(mK)) and can compete with polystyrene (0.03-0.04 W/(mK)) and polyurethane foam (0.006-0.18 W/(mK)) [2].

### 2. Development and manufacturing of a mould

<sup>&</sup>lt;sup>2</sup> ICTM - CMT, University of Belgrade, Njegoševa 12, 11000 Belgrade, Republic of Serbia

Manufacturing of biocomposite structure usually proposes the next steps: 1) preparation of mould according to the type of testing and appropriate standards; 2) binding of plies with natural glue in order to prevent the growth of mycelium; 3) forming, sterilization and hardening plies and structure; 4) filling of mould by mycelium biomaterial; 5) drying and prevention growth of mycelium fibres; 6) infusion of natural resin to improve mechanical characteristics [3]. For the first phase - tensile testing, 10 moulds were manufactured for the production of specimens according to standard D1037. The mould was first created and developed in CATIA and by appropriate software printed in the 3D printer (additive technology).




Fig 1. Parts of mould



Fig 2. Moulds for production of testing specimen

### 3. Conclusion

Moulds for the production of biocomposite mycelium structures (for tensile and pressure testing) were developed, simulated and manufactured. The next phase involves experimental testing and analysis of drying and hardened biocomposite specimens according to appropriate standards and determination of mechanical characteristics.

### **References:**

- [1] IEA (2019), Global Status Report for Buildings and Construction 2019, IEA, Paris
- [2] Mitchell Jones, Andreas Mautner, Stefano Luenco, Alexander Bismarck, Sabu John, Engineered mycelium composite construction materials from fungal biorefineries: A critical review, Materials & Design, Volume 187, 2020, 108397, ISSN 0264-1275
- [3] Jiang L., Walczyk D., McIntyre G., Bucinell R., Li B., *Bioresin infused then cured mycelium-based sandwich-structure biocomposites: Resin transfer molding (RTM) process, flexural properties, and simulation*, Journal of Cleaner Production 207 (2019) pp. 123-135, 2018.