

Alzheimer's and Consciousness: How Much Subjectivity Is Objective?

Vladan Bajic¹, Natasa Mistic², Ivana Stankovic³,
Bozidarka Zaric¹  and George Perry⁴ 

¹Department of Radiobiology and Molecular Genetics, Vinca Institute, University of Belgrade, Belgrade, Serbia. ²Lola Institute, Belgrade, Serbia. ³Institute of Chemistry, Technology and Metallurgy, University of Belgrade, Belgrade, Serbia. ⁴Department of Biology, The University of Texas at San Antonio, San Antonio, TX, USA.

Neuroscience Insights
Volume 16: 1–8
© The Author(s) 2021
Article reuse guidelines:
sagepub.com/journals-permissions
DOI: 10.1177/26331055211033869



ABSTRACT: Does Alzheimer Disease show a decline in cognitive functions that relate to the awareness of external reality? In this paper, we will propose a perspective that patients with increasing symptoms of AD show a change in the awareness of subjective versus objective representative axis of reality thus consequently move to a more internal like perception of reality. This paradigm shift suggests that new insights into the dynamicity of the conscious representation of reality in the AD brain may give us new clues to the very early signs of memory and self-awareness impairment that originates from, in our view the microtubules.

Dialog between Adso and William, in Umberto Eco's The Name of the Rose, Third Day: Vespers.

"But how does it happen," I said with admiration, "that you were able to solve the mystery of the library looking at it from the outside, and you were unable to solve it when you were inside?" "Thus, God knows the world, because He conceived it in His mind, as if it was from the outside, before it was created, and we do not know its rule, because we live inside it, having found it already made."

KEYWORDS: Alzheimer disease, microtubules, consciousness, subjectivity, objectivity, dynamicity, self-awareness

RECEIVED: April 12, 2021. **ACCEPTED:** July 2, 2021.

TYPE: Perspective

FUNDING: The author(s) disclosed receipt of the following financial support for the research, authorship, and/or publication of this article: This research is funded by the Ministry of Education, Science and Technological Development, Republic of Serbia (No. 173034 (BSP)).

DECLARATION OF CONFLICTING INTERESTS: The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

CORRESPONDING AUTHOR: Vladan Bajic, Laboratory for Radiobiology and Molecular Genetics, Institute of Nuclear Sciences "Vinca," University of Belgrade, Mike Petrovica Alasa 12-14, Belgrade 11000, Serbia. Email: vladanbajic@yahoo.com

Introduction

Alzheimer's disease is a progressive neurodegenerative condition leading to the deterioration of the brain's memory capability and in late stages, we may observe changes in the consciousness concerning the external *versus* the internal notion of reality in which self-awareness is compromised.¹

This compromised self-awareness is, in our view, corresponding to the presence of microtubular impairment by Tau fibrillization. The overall presence of Tau fibrils that impair synaptic and microtubular processes are fundamental to the progression of the disease² and probably to the deterioration of the SELF.³

In a ground-breaking paper with the lengthy title "Orchestrated Objective Reduction of Quantum Coherence in Brain Microtubules: The 'Orch OR' Model for Consciousness" by Hameroff and Penrose⁴ the brain is described as a quantum computer whose main architecture are cytoskeletal microtubules, structures within each of the brain's neurons. Hamerhoff and Penrose^{4,5} proposed in the mid-1990s that consciousness depends on biologically "orchestrated" coherent quantum processes in collections of microtubules within brain neurons, that these quantum processes correlate with, and regulate, neuronal synaptic and membrane activity of brain neurons (for more on the Orch hypothesis of consciousness see review). After the inception of the Orch hypothesis, numerous rebuttals have been

presented.^{4,6,7-12} A number of critics of the Orch hypothesis have been addressed by Hameroff and Penrose.^{8,9} The debate has been opened from new data reported by Li et al⁷; Smith et al,¹² correction, Li et al⁷ Smith et al¹² that Xenon 131 has 9 stable isotopes, but not all have the same anesthetic properties. Xenon is an elemental anesthetic. Still, the authors have evaluated isotopes with and without nuclear spin. They found that isotopes with nuclear spin are less potent, suggesting that the nuclear spin as a quantum property may implicate quantum mechanisms of consciousness.¹¹⁻¹³

A neuron is interwoven with a cytoarchitecture comprised of microtubules that are utilized for a number of roles, from regulating the axon and dendritic forms or scaffolds,¹³ transport of vesicles, to transport of proteins important for synaptic formation maintenance and transmission.¹⁴

To upraise the complexity of MT involvement in AD, 2 crucial papers (with references therein) have posted results concerning posttranslational modifications of tubulin¹⁵ and the second, that microtubular impairment is independent of Tau filament formation in AD.¹⁶ These results show that overall MT destabilization and cytoskeletal abnormalities, in a functional sense may affect the cognitive processes in the AD brain more by changes in the number of MT than by structural changes in the MT, that is a reduction of MT in pyramidal neurons that do not coincide with Tau fibrillization correspond



to AD genesis.¹⁶ In our view, these MT “number changes” are a quantum mechanism that may coincide to also changes in the dynamicity of the conscious representation of reality in a brain affected by AD.

Results presented by Cash et al¹⁶ and Zhang et al¹⁵ show a presence of a compensatory mechanism or mechanisms as various posttranslational modifications of tubulin such as polyglutamylation, tyrosination, acetylation of alpha-tubulin (microtubules are composed of tubulin heterodimers made of alpha and beta-tubulin) have been found to change tubulin distribution in AD versus age-matched controls. These salvage mechanisms of tubulin post modifications in our view represent a survival mechanism of the brain as a whole, keeping the processes related to cognition to endure as long as they can. These results concur with our view that the internalization process of the affected brain by AD slowly deteriorates with time. We know that we are “in here” and that the world “is out there.” In AD this dynamic internalization-externalization axis is altered.

The promoting ability for MT to apprise consciousness is based on their characteristics to be suitable for quantum effects, which includes its hollow inner core, crystal-like lattice, cell organization properties, and information processing. Microtubules are also reported to transmit photons in the UV range.¹⁷ The quantum coherent effect has been reported in plant photosynthesis, bird brain navigation, sense of smell,¹⁸⁻²⁴ and recently in MT.²⁵⁻²⁸

Warm quantum vibrations in MT have been found in brain neurons.²⁹ Craddock et al³⁰ suggested that ions use the cytoskeleton network, in which ions flow along and through MT acting as transmission lines propagating cell signaling. Then Igamberdiev and Shklovskiy-Kordi³¹ suggest that the problem of perception is resolved in the frame of what they call endo-physics, a concept that shows that the objective, external world, can only be understood from inside of the “internal observer.” Also, the authors state that observed objects cannot be distinguished from the internal quantum measurement process that is used to identify them.³² Microtubule nanotubes are found in every living eukaryotic cell; these are formed by reversible polymerization of the tubulin protein, and their hollow fibers are filled with uniquely arranged water molecules. Thus, a monomolecular water channel residing inside the protein-cylinder displays a control property of optical and electronic features of the MT,³³ suggesting also that MT has quantum properties.

EEG rhythms may derive from deeper levels of brain organization, from the level of microtubular vibrations. Microtubule quantum vibrations (eg, in megahertz) appear to interfere and produce much slower EEG “beat frequencies.”³² In a clinical trial setting, transcranial ultrasound, aims at MT to resonate in the megahertz range stimulating the brain which resulted in improvements of mood in AD and brain injury.³²

Results from Bilotta F et al,³⁴ showed that anesthesia selectively erases consciousness while sparing nonconscious brain activities via microtubules. Anesthesia is also known to

induce AD type changes in susceptible individuals and experimental animals³⁴⁻³⁶ and to be cognitively detrimental to AD patients.³⁴

We introduce a view that micro-tubular impairment may coincide, or reflect to reduced externalization of the objective world, thus internalizing some of the conscious processes in the AD patient. This may objectify new determinants of reduced cognition and awareness that may be pre-accompanied by reduced memory in MCI and AD patients.

The concept of internalization of the “world” in an AD brain will be elucidated more by reviewing the work of Maturana and Varela and by the historical example of the patient zero Auguste D and her conversation with (Figure 1) Alois Alzheimer.³⁷

The internalization versus externalization axis in AD: A new paradigm for research

The dialog of dr Alois Alzheimer and patient zero, Auguste Deter:

Auguste Deter, wife of a railway worker, born on May 16, 1850, a reformist by religious conviction, admitted to hospital on November 25, 1901. Assistant Prof. Nitsche, reviewed Auguste Deter’s (AD) case in January and informed Prof. Alois Alzheimer (AA) that the patient has unusual clinical symptoms.

Alzheimer’s patient did an interview the next day as noted on the first page he wrote himself, carrying his conversation with the patient:

- What’s your name? - Was his question (AA)
- Augusta (AD)
- And your surname? (AA)
- Augusta (AD)
- The name of your husband? (AA)


Augusta, I (AD)

- I’m asking the name of your husband (AA)
- For my husband? (AD)
- Are you married? (AA)
- About Augusta (AD)
- How long are you here? (AA)
- 3 weeks

- **Note:** Clearly the conversation shows that there is an impairment of self awareness and cognitive processes. She also shows the development of anosognosia.

Here’s another example of the conversation between Alzheimer’s and Augusta while she ate cauliflower with pork meat.

- What do you eat? - Alzheimer asked (AA)
- Spinach (AD)



Figures were taken from the book "100 years of Alzheimer's Disease" [Perry, G. et al, 2006]

Figure 1. Auguste D, the first patient of Alois Alzheimer and original drawings of Tau fibrils. Figures were taken from the book "100 years of Alzheimer's disease."

- She chewed but did not eat any meat, and then she said:
 - First I'm going to eat potatoes and then radishes (AD)
- **Note:** We clearly see that the internalization process has taken over objective realism.

Dr. Alzheimer showed her different objects and after a brief pause, she could not recollect what she saw. Meanwhile she spoke constantly and continuously repeated

- Mister Twin, I know Mr. Twin, twins (AD)
- Write Mrs d (eter) here, insisted Dr. Alzheimer (AA)

She wrote: Mrs but no surname. She could write her name if it is dictated but instead she wrote Augusa instead of Augusta. The patient had a difficult time to write sentences and phrases that have been requested from her, and had symptoms of compulsive verbal rehearsal. When she read she skipped orders and repeated the same sentence several times. She didn't look like somebody that understands what she has read. Her general physical examination was normal.

Augusta D experienced change of memory, language, thoughts, and ultimately behavior.

Later she was often upset and shouted. She often had panic attacks, named and repeated without cessation:

- I don't want them to hurt me, I don't want to hurt myself. . . From that day her behavior had become hostile, often named and attacked anyone who wanted to examine her. She was always was under sedatives that were effective only occasionally. She was without any focus with the people who stayed in the common room, and hit people all the time. Could not understand why

she had to be isolated from other patients. When they tried to talk to her she replied- I don't want to, no time. Symptoms got worse by the month.³⁷

From the first interview we can see a time dependent deterioration of the I, or self-awareness of Augusta D. Here in this work Augusta D represents a matrix of changes in consciousness regarding memory and self-awareness in the neurodegenerative processes occurring in AD. AD shows a relative pattern of loss of memory and self-awareness that is repeated in dementia patients.

From the conversation above, except that we can see the loss of episodic and spatial memory, we also see a lack of self-awareness and a decrease of cognitive functioning in the course of the disease. This lack of awareness in affected subjects that are deficient in their own cognitive functioning we call anosognosia. Anosognosia is quite common in patients suffering from Alzheimer's disease, affecting from 20% to 80% of diagnosed individuals.³⁸⁻⁴⁴

Anosognosia is related to the earliest signs of AD.³⁸ In concert with anosognosia, the traditionally recognized characteristic of AD are episodic memory deficits,⁴⁵ but in the context of more subtle perception, language, and executive deficits are also present in AD. These findings may state that all these changes in self-awareness may be permeated by the alteration of *the internal versus external axis* that we propose as an early sign of AD.

On the other hand, AD might give us insights into how this axis is altered, and also represent a model of a dynamic property of consciousness of how we perceive, and experience reality.

It seems that the crucial phenomenon which defies consciousness and the specific part of it "the self" is the state of knowing. We know what is out there and we know that we are in here. This state of knowing is expressed in language.⁴⁶

Linguistic changes have been for some time an area of research and have been an indicator of cognitive deterioration.⁴⁷⁻⁵¹ Also, artistic performance in painters has been a matter of study.^{47,52-54} Later, a method of fractal embedded patterns has been found to be differentially expressed in affected painters *versus* individuals with a normal aging process.⁵⁵

In both situations, we may observe how cognitive decline in AD patients reduces objective realism to an internal more subjective view that may be correlated with the severity of the disease. To better understand this shift, we have briefly reviewed the work of Maturana and Varela.⁵⁵

In our view, humans are the only species that are seen to develop consciousness seen as an acquisition and instrumentalization of the internalization versus externalization processes that genuinely expand the human self on a broader and broader part of our immediate surroundings. This view will explicitly be resolved by the ideas first given from Varela and Maturana.^{56,57}

Objectivity and the internalization versus externalization paradigm of awareness

There is a paradigm in scientific thought that the observer which wants to study a system is expected to expose a hypothesis of how the system functions and then to test it in order to make the best map of the territory that he is investigating. So, it is traditionally noted that the observer must stand on a point of objectivity in order not to influence the description he/she is observing. This access insists that they who are making the maps free themselves from their own maps in order not to be restrained by the self-reference paradigm.

There has been a number of investigators that challenge the notion that there is a world outside of us and that its properties can be accurately described, a territory that we can convey on a map.⁵⁸⁻⁶⁸

We do not want to challenge the notion of objective reality *per se* or as it is represented in the philosophy of representationalism *versus* subjectivism as in solipsism, but to explore the notion of awareness as a dynamical self-reference system⁶⁹ that enables the paradigm of externalization of consciousness in humans. We can discern 2 components of consciousness, 1 is wakefulness which is abundantly presented by the latest neuro-surgical research^{70,71} and the second feature of consciousness is its contents, which is awareness.

Conscious subjects have phenomenal experiences or awareness of the internal and external world.

In our view, in AD the conscious awareness of the internalization-externalization axis is altered.

When Letvin et al,⁷⁰ published their seminal paper “of what the frogs eye says to the frogs brain” they haven’t for 1 moment brought into question the existence of an objective reality that is independent from that frog.

The paradigm of objectivity is so profound that I wish here to describe the experiment at hand: “Using surgical techniques

they rotated the eyes of Salamanders and frogs. In one of the experiments they rotated the eye of a tadpole. Once it matured into a frog they covered the operated eye and watched the frogs reaction to flies (food). The frog with minute precision throws its tongue toward its prey, the fly. But, when the normal eye was covered and when they opened the operated, rotated eye, an unusual thing would happen; the frog would throw its tongue in 180° angle, in the wrong direction, leaving him without a meal. By this experiment we can conclude that for the frog there is no down or up, or forward or backward outside from her.”

From this experiment the authors concluded that an “objective” reality is not something outside *per se*.

The aerial of visual perception has enabled Maturana and Varela⁷²⁻⁷⁷ to bring into question the understanding of perception as a simple operation that is limited to sending messages over telephone lines and “arriving” to the brain. This notion is also determined by our anatomy, that is lateral genicular nuclei is a switch master of the cortex prima which gets at least 5 nerve bundles from different parts of the cortex for every fiber from the retina that includes also feedback fibers from the visual cortex.^{77,78}

This means that the lateral genicular nuclei is not only dependent from the activity of the retina but also from the intertwined connections that come from different parts of the brain.

If we relate these processes of the retina to our perception of color, the same paradigm arises as in the inverted eye of the tadpole, that there is not only 1 correlation between the wavelength of light and colors and seeing, but also how the brain in itself perceives and interprets light stimuli and building on these ground a whole picture of what is “out there.” When we are seeing, the picture is composed and presented to our consciousness.⁷⁹ But there is a problem. If we reject the idea that the nervous system gathers information from the environment in order to make a representation of reality, then how can we avoid the trap of solipsism where the only reality is the internal one?

Again, from the Frog experiment Maturana and others have begun to question this assumption.^{65,66,74,80-89} They could not test the activity of the retina and physical stimulus outside the organism, thus understanding that their subject reacts to colors that are not related to wavelengths of light that were coming from the object. So, we have to make a distinction of our experience of color *versus* the linear construct that the phenomenology of physical electromagnetic waves that induce perception by activating different receptors in the eye. Differentially said, seeing colors is a global phenomenon and not a local one.^{79,85,87,89,90} This makes a problem for scientists that wish to “objectively” determine relationships between a stimulus and a sensation, as it is not possible to register a global activity of the retina, but only a reaction of individual neurons or fiber bundles toward an external stimulus.

Maturana and Varela^{74,81-89,90} gave a pragmatic view of this dilemma. They state that perception cannot exist without interaction between the organism and observable electromagnetic waves. To differentiate colors, this cannot happen without a section between the emitter and the receiver, that is, the perception of color does not lie per se in the wavelength of light. So in the vision of a subject, it is not important how light affects the nervous system but also how the nervous system reacts to this stimulus. Interestingly, vision is affected in AD patients.⁹¹

Using a model of AD mice, A β PPswe/PS1dE9, Leinonen et al⁹² have found subtle changes in the visual processing system in the retinas. Other changes have been reported, from nerve optic degeneration, retinal ganglion cell degeneration with a finding of retinal amyloid plaques to impairment in the visual tests,⁹³ visual evoked potential, and declined electroretinography.⁹⁴

Results show that the retina reflects neurodegeneration processes in the brain,^{95,96} thus altering the subject's perception, that is the internalization versus externalization axis that consequently affects awareness. The subject does not have to be conscious of these alternations, thus we may call it perceptual anosognosia.

The occurrence of the observer

Varela and Maturana⁹⁷⁻¹⁰⁰ gave a notion to the importance of the observer: "*The observer describes things by making distinctions, but all these descriptions are self-referent or reflective: the created distinctions reveal us that: contrary to the usual view, a description when it is closely examined, reveals an observer.*"

We the observers distinguish ourselves just by making distinctions from what we are obviously not, the world.

The problem of self-reference comes from "language."⁹² The paradox exists where the language engages with itself. The difficulty of a self-reference system is due to the impossibility to discern between the actor and the act.

By the act of observation, we remove 1 entity, or in the language of Maturana and Varela, a monad from its surroundings and conclude that they are 2 different things. When we make this distinction (to me it is more a differentiation, the discursive mind) we introduce the domain of coordinated actions, we make descriptions of descriptions. The observer is that fundamental entity that determines what is separated in the distinction. For the observer and what he describes are present in the language in which the distinction is performed.⁹⁰⁻⁹³ Language is not conceived by a person to touch the outside world but that we are in language, placed in linguistic structural connections in which we make and improve ourselves.

Only a subject that can perceive, be aware, can report of what is happening in a given point and also state that this experience through language may inform others, that is "*the subject can objectify*" what he sees, it externalizes its subjective

perception. In our view, not only the notion of colors but also the awareness per se is intertwined in "objectivity" by the notion of language. This awareness, this self-reference system is altered in AD as we have previously referenced.^{47,48,49,101} This notion can also be concluded from the Augusta report. We hypothesize that "the internalization process" is activated very early in the disease and this process is later reflected in cognitive states as seen in anosognosia and brain hypometabolism anosognosia.^{39-43,100}

Even though we cannot perceive reality as an objective truth as we always make our personal version of reality and even though we cannot resolve ourselves from the situation that we are describing, we still can objectify our subjectivity through self-awareness or as said beforehand that the "observer" is a fundamental property of consciousness in all of us, to discern what is outside of us or what is in us. In our view, this "internalization-externalization axis" is altered in AD.

Now, recent history and philosophy of science often suggest that this apparent objectivity cannot be characterized as dealing with things-out-there, as independent of mental contents-in-here.

What we take to be objective is what can be turned from individual accounts into a body of regulated knowledge. This body of knowledge is inescapably in part subjective, since it depends on individual observation and experience, and partly objective, since it is constrained and regulated by the empirical, natural phenomena. This brief reminder that the subjective is already implicit in the objective!

The paper addresses a new idea concerning how the dynamic representation of subjectivity versus objectivity has been affected in an AD brain, given the name "the internalization versus externalization process" of consciousness. Given the importance of this idea, we will try to address this issue. There are 3 main topics represented in this paper, MT in AD, objectivity, and awareness, and awareness and AD. The common denominator is the quantum reality paradigm in which the brain works.^{22,23} In our view how a quantum brain utilizes consciousness is related to a dynamic aspect to how our perception is actively emerged in objectifying reality.²² The observed objects cannot be discerned from the internal quantum measurement process that is used to identify them.²³

Regarding how these processes can be utilized in a perspective to address pre AD stages, recently new research in the validation of subjective measure by using Awareness of self and Disease assessment (ASDA) was explored.¹⁰² The authors measured awareness by evaluating different modes of the perception of AD subjects, from the environment, emotions, past and future, confrontation with difficulties, to how the AD subjects express their awareness of the disease itself, like denial, attribution, judgment, etc. The results suggest that awareness can be assessed through subjective experiences.¹⁰³ In a clinical sense awareness of the internal versus external axis can be evaluated by an ASDA modified questioner and it can also be

addressed through the Free Energy Principle (FPE) and predictive programming.^{103–106} In a theoretical sense, a normal view of an internal versus external axis is in essence a homeostatic, balance mechanism. So, in Karl Friston and Mark Solms terms, if consciousness arises through a homeostatic mechanism, then according to Friston K et al, (2012)¹⁰ the answer is free energy minimization. In a paper Moran KJ et al,¹⁰⁷ showed that in an aging brain the sensory data influences neuronal architecture to ensure its predictive power of the world through FPE minimalization.

These new ways to understand how the brain works in relation to the perception of the internal versus external axis by using FPE and Bayesian inference,^{104–107} is in our view how these principles could be translated into direct (like fMRI) or indirect (ASDA) ways to diagnose early AD.

Perspectives

Self-awareness is a property of consciousness that enables us to perceive our external reality, that is that internal awareness helps us to get us out of ourselves. . . as we are more conscious of ourselves the more we are conscious of our environment. To be more consciously aware of our selves new research has opened possibilities from the use of yoga, meditation,^{108–112} and techniques of mindfulness^{113–117} that show that we can use our awareness to slow down the progression of dementia.^{108–120}

A recent paper by Khalsa and Perry,¹²¹ proposed the notion that changing one's lifestyle and attitude can make a difference in the outcome of AD. Managing chronic stress by yoga/meditation is considered a third pillar on what prevention stands. The other 3 pillars are diet and supplements, physical and mental exercise, and psychological well-being.¹²¹

Understanding more about awareness is an important element in envisioning new methods of early diagnostics AD and MCI. Presenting a correlation between language and artistic skills to the deterioration of awareness in AD puts us at the notion that impairment of awareness or changes in the internalization-externalization axis is a possible new sign of dementia that may correspond to memory impairment. Also, in our view changes in awareness of AD patients are at least in some part microtubule-dependent suggesting that consciousness is a quantum state of the brain in a quantum reality that integrates diverse properties of perception into a coherent experience.¹²¹

Author Contributions

All authors contributed to and approved this version of the manuscript. Conception, idea, and the new hypothesis: Bajic Vladan and writing, analysis, and drafting the manuscript: Perry George, Stankovic Ivana, Misic Natasa, and Zaric Bozidarka.

ORCID iDs

Bozidarka Zaric  <https://orcid.org/0000-0003-4244-3283>

George Perry  <https://orcid.org/0000-0002-6547-0172>

REFERENCES

- Moro V. The interaction between implicit and explicit awareness in anosognosia: emergent awareness. *Cogn Neurosci*. 2013;4:199–200.
- Timmers T, van Berckel BNM, Lammertsma AA, Ossenkoppele R. Quantification of Tau load in Alzheimer's disease clinical trials using positron emission tomography. *Methods Mol Biol*. 2018;1750:221–229.
- D'Iorio A, Garramone F, Piscopo F, Baiano C, Raimo S, Santangelo G. Meta-analysis of personality traits in Alzheimer's disease: a comparison with healthy subjects. *J Alzheimers Dis*. 2018;62:773–787.
- Hameroff S, Penrose R. Consciousness in the universe: a review of the 'Orch OR' theory. *Phys Life Rev*. 2014;11:39–78.
- Hameroff S. Quantum computation in brain microtubules? The Penrose–Hameroff "Orch OR" model of consciousness. *Philos Trans A Math Phys Eng Sci*. 1998;356:1869–1896.
- Burdick RK, Villabona-Monsalve JP, Mashour GA, Goodson T 3rd. Author Correction: Modern anesthetic ethers demonstrate quantum interactions with entangled photons. *Sci Rep*. 2021;11:8960.
- Li N, Lu D, Yang L, et al. Nuclear spin attenuates the anesthetic potency of xenon isotopes in mice: implications for the mechanisms of anesthesia and consciousness. *Anesthesiology*. 2018;129:271–277.
- Li T, Tang H, Zhu J, et al. The finer scale of consciousness: quantum theory. *Ann Transl Med*. 2019;7:585.
- McKemmish LK, Reimers JR, McKenzie RH, Mark AE, Hush NS. Penrose-Hameroff orchestrated objective-reduction proposal for human consciousness is not biologically feasible. *Phys Rev E Stat Nonlin Soft Matter Phys*. 2009;80:021912.
- Penrose R, Hameroff SR. Consciousness in the universe an updated review of the "ORCH OR" theory. In: Poznanski RR, Tuszynski JA, Feinberg TE, eds. *Biophysics of Consciousness: A Foundational Approach*. World Scientific; 2016.
- Reimers JR, McKemmish LK, McKenzie RH, Mark AE, Hush NS. The revised Penrose-Hameroff orchestrated objective-reduction proposal for human consciousness is not scientifically justified: comment on "consciousness in the universe: a review of the 'Orch OR' theory" by Hameroff and Penrose. *Phys Life Rev*. 2014;11:101–103; discussion 104–112.
- Smith J, Zadeh Haghighi H, Salahub D, Simon C. Radical pairs may play a role in xenon-induced general anesthesia. *Sci Rep*. 2021;11:6287.
- Bele MS, Gajare KA, Deshmukh AA. Caloric restriction mimetic 2-deoxyglucose maintains cytoarchitecture and reduces tau phosphorylation in primary culture of mouse hippocampal pyramidal neurons. *In Vitro Cell Dev Biol Anim*. 2015;51:546–555.
- Richter-Landsberg C. The cytoskeleton in oligodendrocytes. Microtubule dynamics in health and disease. *J Mol Neurosci*. 2008;35:55–63.
- Zhang F, Su B, Wang C, et al. Posttranslational modifications of alpha-tubulin in alzheimer disease. *Transl Neurodegener*. 2015;4:015–0030.
- Cash AD, Aliev G, Siedlak SL, et al. Microtubule reduction in Alzheimer's disease and aging is independent of tau filament formation. *Am J Pathol*. 2003;162:1623–1627.
- Tang R, Dai J. Biophoton signal transmission and processing in the brain. *J Photochem Photobiol B*. 2014;139:71–75.
- Kattnig DR, Solov'yov IA, Hore PJ. Electron spin relaxation in cryptochrome-based magnetoreception. *Phys Chem Chem Phys*. 2016;18:12443–12456.
- Brookes JC. Quantum effects in biology: golden rule in enzymes, olfaction, photosynthesis and magnetoreception. *Proc Math Phys Eng Sci*. 2017;473:31.
- Engel GS, Calhoun TR, Read EL, et al. Evidence for wavelike energy transfer through quantum coherence in photosynthetic systems. *Nature*. 2007;446:782–786.
- Panitchayangkoon G, Hayes D, Fransted KA, et al. Long-lived quantum coherence in photosynthetic complexes at physiological temperature. *Proc Natl Acad Sci U S A*. 2010;107:12766–12770.
- Lee H, Cheng YC, Fleming GR. Quantum coherence accelerating photosynthetic energy transfer. In: Corkum P, Silvestri S, Nelson K, Riedle E, Schoenlein R, eds. *Ultrafast Phenomena XVI*. Springer Series in Chemical Physics, vol 92. Springer; 2009.
- Wiltschko R, Ahmad M, Niessner C, Gehring D, Wiltschko W. Light-dependent magnetoreception in birds: the crucial step occurs in the dark. *J R Soc Interface*. 2016;13:20151010.
- Turin L. A method for the calculation of odor character from molecular structure. *J Theor Biol*. 2002;216:367–385.
- Craddock TJ, Priel A, Tuszynski JA. Keeping time: could quantum beating in microtubules be the basis for the neural synchrony related to consciousness? *J Integr Neurosci*. 2014;13:293–311.
- Craddock TJ, Friesen D, Mane J, Hameroff S, Tuszynski JA. The feasibility of coherent energy transfer in microtubules. *J R Soc Interface*. 2014;11:20140677.
- Jibu M, Hagan S, Hameroff SR, Pribram KH, Yasue K. Quantum optical coherence in cytoskeletal microtubules: implications for brain function. *Biosystems*. 1994;32:195–209.

28. Adams B, Petruccione F. Quantum effects in the brain: a review. *AVS Quantum Sci.* 2020;2:022901.
29. Hameroff S, Penrose R. Reply to criticism of the 'Orch OR qubit' – 'orchestrated objective reduction' is scientifically justified. *Phys Life Rev.* 2014;11:104-112.
30. Craddock TJA, Tuszyński JA, Priel A, Freedman H. Microtubule ionic conduction and its implications for higher cognitive functions. *J Integr Neurosci.* 2010;9:103-122.
31. Igamberdiev AU, Shklovskiy-Kordi NE. The quantum basis of spatiotemporality in perception and consciousness. *Prog Biophys Mol Biol.* 2017;130:15-25.
32. Craddock TJA, Kurian P, Preto J, et al. Anesthetic alterations of collective terahertz oscillations in tubulin correlate with clinical potency: implications for anesthetic action and post-operative cognitive dysfunction. *Sci Rep.* 2017;7:1-2.
33. Sahu S, Ghosh S, Ghosh B, et al. Atomic water channel controlling remarkable properties of a single brain microtubule: correlating single protein to its supra-molecular assembly. *Biosens Bioelectron.* 2013;47:141-148.
34. Bilotta F, Qeva E, Matot I. Anesthesia and cognitive disorders: a systematic review of the clinical evidence. *Expert Rev Neurother.* 2016;16:1311-1320.
35. Zhang C, Zhang Y, Shen Y, Zhao G, Xie Z, Dong Y. Anesthesia/surgery induces cognitive impairment in female Alzheimer's disease transgenic mice. *J Alzheimers Dis.* 2017;57:505-518.
36. Choi GJ, Kang H, Baek CW, Jung YH, Kim JW, Woo YC. Relationship between general anesthesia and Alzheimer disease: a protocol for a systematic review and meta-analysis. *Medicine.* 2017;96:e9314.
37. Perry G, Avila J, Kinoshita J, Smith MA, eds. *Alzheimer's Disease: A Century of Scientific and Clinical Research.* STM Publishing House, Impacting the World of Science Books & Journals, Online & Print; 2006.
38. Serino S, Riva G. The proactive self in space: how egocentric and allocentric spatial impairments contribute to anosognosia in Alzheimer's disease. *J Alzheimers Dis.* 2017;55:881-892.
39. Feher EP, Mahurin RK, Inbody SB, Crook TH, Pirozzolo FJ. Anosognosia in Alzheimer's disease. *Neuropsychiatry Neuropsychol Behav Neurol.* 1991;4:136-146.
40. Migliorelli R, Teson A, Sabe L, et al. Anosognosia in Alzheimer's disease: a study of associated factors. *J Neuropsychiatry Clin Neurosci.* 1995;7:338-344.
41. Starkstein SE. Anosognosia in Alzheimer's disease: diagnosis, frequency, mechanism and clinical correlates. *Cortex.* 2014;61:64-73.
42. Vasterling JJ, Seltzer B, Foss JW, Vanderbrook V. Unawareness of deficit in Alzheimer's disease: domain-specific differences and disease correlates. *Neuropsychiatry Neuropsychol Behav Neurol.* 1995;8:26-32.
43. Avondino E, Antoine P. Heterogeneity of cognitive anosognosia and its variation with the severity of dementia in patients with Alzheimer's disease. *J Alzheimers Dis.* 2016;50:89-99.
44. Koltai DC, Welsh-Bohmer KA, Schmechel DE. Influence of anosognosia on treatment outcome among dementia patients. *Neuropsychol Rehabil.* 2001;11:455-475.
45. Mowrey WB, Lipton RB, Katz MJ, et al. Memory binding test predicts incident dementia: results from the Einstein Aging Study. *J Alzheimers Dis.* 2018;62:293-304.
46. Neuman Y, Nave O. Why the brain needs language in order to be self-conscious. *New Ideas Psychol.* 2010;28:37-48.
47. Forsythe A, Williams T, Reilly RG. What paint can tell us: a fractal analysis of neurological changes in seven artists. *Neuropsychology.* 2017;31:1-10.
48. Forbes-McKay KE, Venneri A. Detecting subtle spontaneous language decline in early Alzheimer's disease with a picture description task. *Neurol Sci.* 2005;26:243-254.
49. Leslie M. Telltale text. Novelist's final work reveals early signs of Alzheimer's disease. *Sci Aging Knowledge Environ.* 2004;2004:nf113.
50. Sahlas DJ. Dementia with Lewy bodies and the neurobehavioral decline of Mervyn Peake. *Arch Neurol.* 2003;60:889-892.
51. Snowden DA, Kemper SJ, Mortimer JA, Greiner LH, Wekstein DR, Markesbery WR. Linguistic ability in early life and cognitive function and Alzheimer's disease in late life. Findings from the Nun Study. *JAMA.* 1996;275:528-532.
52. Fornazzari LR. Preserved painting creativity in an artist with Alzheimer's disease. *Eur J Neurol.* 2005;12:419-424.
53. Forsythe A, Nadal M, Sheehy N, Cela-Conde CJ, Sawey M. Predicting beauty: fractal dimension and visual complexity in art. *Br J Psychol.* 2011;102:49-70.
54. Van Buren B, Bromberger B, Potts D, Miller B, Chatterjee A. Changes in painting styles of two artists with Alzheimer's disease. *Psychol Aesthet Creat Arts.* 2013;7:89-94.
55. Taylor RP, Micolich AP, Jonas D. Fractal analysis of Pollock's drip paintings. *Nature.* 1999;399:422.
56. Varela FG, Maturana HR, Uribe R. Autopoiesis: the organization of living systems, its characterization and a model. *Curr Mod Biol.* 1974;5:187-196.
57. Damiano L, Luisi PL. Towards an autopoietic redefinition of life. *Orig Life Evol Biosph.* 2010;40:145-149.
58. Hajnc FF. Disorder and order, discovery or invention. In: Livingston P, ed. *Proceeding of the Stanford International Symposium, Saratoga, California.* 1984. The publisher is ANMA Libri & Co. Saratoga, CA. 1984.
59. Tufts JH. Solipsism. In: Baldwin JM, ed. *Dictionary of Philosophy and Psychology.* Peter Smith; 1957:553.
60. Maturana HR, Varela FJ. *Autopoiesis and Cognition: The Realization of the Living.* 1st ed. D. Reidel Publishing Company; 1980.
61. Bishop AR, Nicolaenko B, Grüner G. *Spatio-Temporal Coherence and Chaos in Physical Systems:* Los Alamos Center for Nonlinear Studies Workshop, January 21-24, BOOK. North-Holland, 1986. [AQ11 Spatio-Temporal Coherence and Chaos in Physical Systems: Los Alamos Center for Nonlinear Studies Workshop, January 21-24, BOOK, Publisher North-Holland, 1986] 1986.
62. Colapinto J. Maturana and the ideology of conformity. *Family Ther Networker.* 1985;9:29-30.
63. Efran J, Lukens MD. The world according to Humberto Maturana—epistemology and the magic kingdom. *Family Ther Networker.* 1985;8:72-75.
64. Maturana HR, Varela FJ. *Autopoiesis and Cognition the Realization of the Living.* 1st ed. D. Reidel Publishing Company; 1970.
65. Maturana HR. The organization of the living: a theory of the living organization. *Int J Man Mach Stud.* 1975;7:313-332.
66. Maturana HR. Autopoiesis: reproduction, heredity and evolution. In: Zeleny M, ed. *Autopoiesis, Dissipative, Structures, and Spontaneous Social Orders.* Westview Press; 1980:45-79.
67. Varela FJ. *Principles of Biological Autonomy (The North Holland Series in General Systems Research).* 2nd ed. Elsevier Science Ltd; 1979.
68. Varela FJ. Describing the logic of the living – the adequacy and limitations of the idea of autopoiesis. In: Zeleny M ed. *Autopoiesis: A Theory of Living Organization.* Elsevier-North Holland; 1981:36-48.
69. Philipp CL, Feinstein JS, Khalsa SS, et al. Preserved self-awareness following extensive bilateral brain damage to the insula, anterior cingulate, and medial prefrontal cortices. *PLoS One.* 2012;7:22.
70. Lettvin JY, Maturana HR, McCulloch WS, Pitts WH. What the frog's eye tells the frog's brain. *Univ PA Law Rev.* 1968;154:233-258.
71. Zhao T, Zhu Y, Tang H, Xie R, Zhu J, Zhang JH. Consciousness: new concepts and neural networks. *Front Cell Neurosci.* 2019;13:302.
72. Maturana HR. *The Biological Foundations of Self-Consciousness and the Physical Domain of Existence.* Wilhelm Fink Verlag; 1990.
73. Maturana HR. *Biology of Cognition.* vol. 42. 1980. reprinted in "Autopoiesis and Cognition: The Realization of the Living Dordecht: D. Reidel Publishing Co., 1980, pp. 5-58.
74. Maturana HR. The mind is not in the head. *Soc Biol Struct.* 1985;8:303-311.
75. Maturana HR, Varela FJ. *Autopoiesis: The Organization of the Living.* Springer Science & Business Media; 1980.
76. Maturana HR, Varela FJ. *Autopoiesis and Cognition the Realization of the Living.* vol. 42. Springer; 1980.
77. Maturana HR, Varela FG. *The Tree of Knowledge: The Biological Roots of Human Understanding.* Shambala; 1992.
78. Mingers J. The cognitive theories of Maturana and Varela. *Syst Pract.* 1991;4:319-338.
79. Chirimuuta M. *Outside Color: Perceptual Science and the Puzzle of Color in Philosophy.* MIT Press; 2015.
80. Maturana HR. Communication and representation functions. In: Piaget J, ed. *Encyclopedie de Ia Pleiade.* Gallimard; 1975.
81. Maturana HR. Biology of language: the epistemology of reality. In: Miller GA, Lenneberg E eds. *Psychology and Biology of Language and Thought: Essays in Honor of Eric Lenneberg.* Academic Press; 1978.
82. Maturana HR. Man and society. In: Benseler F, Hejl P, Kock W, eds. *Autopoietic Systems in the Social Sciences, The Theory of Autopoietic Systems in the Social Sciences.* Campus Verlag; 1980:11-31.
83. Maturana HR. Autopoiesis: a theory of living organization. In: Zeleny M, ed. *Autopoiesis: A Theory of Living Organization.* Elsevier-North Holland; 1981.
84. Maturana HR. What is it to see? *Arch Biol Med Exp.* 1983;16:255-269.
85. Maturana HR. Reality: the search for objectivity or the quest for a compelling argument. *Ir J Psychol.* 1988;9:25-82.
86. Mingers J, Maturana H, Guilloff G. The quest for the intelligence of intelligence. *J Soc Biol Struct.* 1980;135-148.
87. Maturana HR, Varela FG. *Autopoiesis and Cognition: The Realization of the Living (Boston Studies in the Philosophy of Science).* 1st ed. D. Reidel Publishing Company. 1980.
88. Maturana HR, Varela FG. *The Tree of Knowledge.* Shambhala; 1987.
89. Maturana HR, Uribe G, Frenk S. A biological theory of relativistic colour coding in the primate retina. *Arch Biol Med Exp.* 1968;1:1-30.
90. Chirimuuta M, Burr D, Morrone MC. The role of perceptual learning on modality-specific visual attentional effects. *Vision Res.* 2007;47:60-70.
91. Pelak VS, Hills W. Vision in Alzheimer's disease: a focus on the anterior afferent pathway. *Neurodegener Dis Manag.* 2018;8:49-67.
92. Leinonen H, Lipponen A, Gurevicius K, Tanila H. Normal amplitude of electroretinography and visual evoked potential responses in AbetaPP/PS1 mice. *J Alzheimers Dis.* 2016;51:21-26.
93. Hart NJ, Koronyo Y, Black KL, Koronyo-Hamaoui M. Ocular indicators of Alzheimer's: exploring disease in the retina. *Acta Neuropathol.* 2016;132:767-787.

94. Yamasaki T, Horie S, Ohyagi Y, et al. A potential VEP biomarker for mild cognitive impairment: evidence from selective visual deficit of higher-level dorsal pathway. *J Alzheimers Dis.* 2016;53:661-676.
95. Fernandez-Albarral JA, Salobrar-Garcia E, Martinez-Paramo R. Retinal glial changes in Alzheimer's disease – a review. *J Optim.* 2018;27:30080-30083.
96. Zabel P, Kaluzny JJ, Wilkosc-Debczynska M, et al. Peripapillary retinal nerve fiber layer thickness in patients with Alzheimer's disease: a comparison of eyes of patients with Alzheimer's disease, primary open-angle glaucoma, and preperimetric glaucoma and healthy controls. *Med Sci Monit.* 2019;25:1001-1008.
97. Varela FG, Maturana HR. Mechanism and biological explanation. *Philos Sci.* 1972;39:378-382.
98. Varela FG, Maturana HR, Uribe R. Autopoiesis: the organization of living systems, its characterization and a model. *Biosystems.* 1974;5:187-196.
99. Varela FJ. Whence perceptual meaning? A cartography of current ideas. In: Cohen RS, Varela FJ, Dupuy J-P, eds. *Boston Studies in the Philosophy of Science: Vol. 130. Understanding Origins: Contemporary Views on the Origin of Life, Mind and Society.* Kluwer Academic Publishers; 1992:235-264.
100. Theriault J, Ng KP, Pascoal TA, et al. Anosognosia predicts default mode network hypometabolism and clinical progression to dementia. *Neurology.* 2018;90:e932-e939.
101. Smith MA. Alzheimer disease. *Int Rev Neurobiol.* 1998;42:1-54.
102. Mayelle A, El Haj M, Antoine P. Awareness of self and disease assessment: development and validation of a subjective measure in people with Alzheimer's disease. *J Alzheimers Dis.* 2019;71:841-850.
103. Solms M. The hard problem of consciousness and the free energy principle. *Front Psychol.* 2018;9:2714.
104. Friston K, Breakspear M, Deco G. Perception and self-organized instability. *Front Comput Neurosci.* 2012;6:44.
105. Friston K. A theory of cortical responses. *Philos Trans R Soc Lond B Biol Sci.* 2005;360:815-836.
106. Friston K. Prediction, perception and agency. *Int J Psychophysiol.* 2012;83:248-252.
107. Moran RJ, Symmonds M, Dolan RJ, Friston KJ. The brain ages optimally to model its environment: evidence from sensory learning over the adult lifespan. *PLoS Comput Biol.* 2014;10:e1003422.
108. Eyre HA, Acevedo B, Yang H, et al. Changes in neural connectivity and memory following a yoga intervention for older adults: a pilot study. *J Alzheimers Dis.* 2016;52:673-684.
109. Newberg AB, Wintering N, Khalsa DS, Roggenkamp H, Waldman MR. Meditation effects on cognitive function and cerebral blood flow in subjects with memory loss: a preliminary study. *J Alzheimers Dis.* 2010;20:517-526.
110. Moss AS, Wintering N, Roggenkamp H, et al. Effects of an 8-week meditation program on mood and anxiety in patients with memory loss. *J Altern Complement Med.* 2012;18:48-53.
111. Innes KE, Selfe TK, Khalsa DS, Kandati S. Effects of meditation versus music listening on perceived stress, mood, sleep, and quality of life in adults with early memory loss: a pilot randomized controlled trial. *J Alzheimers Dis.* 2016;52:1277-1298.
112. Yang H, Leaver AM, Siddarth P, et al. Neurochemical and neuroanatomical plasticity following memory training and yoga interventions in older adults with mild cognitive impairment. *Front Aging Neurosci.* 2016;8:277.
113. Quintana-Hernandez DJ, Miro-Barrachina MT, Ibanez-Fernandez IJ, et al. Mindfulness in the maintenance of cognitive capacities in Alzheimer's disease: a randomized clinical trial. *J Alzheimers Dis.* 2016;50:217-232.
114. Tang YY, Holzel BK, Posner MI. The neuroscience of mindfulness meditation. *Nat Rev Neurosci.* 2015;16:213-225.
115. Wells RE, Yeh GY, Kerr CE, et al. Meditation's impact on default mode network and hippocampus in mild cognitive impairment: a pilot study. *Neurosci Lett.* 2013;556:15-19.
116. Larouche E, Hudon C, Goulet S. Potential benefits of mindfulness-based interventions in mild cognitive impairment and Alzheimer's disease: an interdisciplinary perspective. *Behav Brain Res.* 2015;276:199-212.
117. Holzel BK, Carmody J, Vangel M, et al. Mindfulness practice leads to increases in regional brain gray matter density. *Psychiatry Res.* 2011;191:36-43.
118. Boyle PA, Buchman AS, Barnes LL, Bennett DA. Effect of a purpose in life on risk of incident Alzheimer disease and mild cognitive impairment in community-dwelling older persons. *Arch Gen Psychiatry.* 2010;67:304-310.
119. Kaufman Y, Anaki D, Binns M, Freedman M. Cognitive decline in Alzheimer disease: impact of spirituality, religiosity, and QOL. *Neurology.* 2007;68:1509-1514.
120. Lavretsky H. *Resilience and Aging Research and Practice.* Johns Hopkins University Press; 2014:94-129.
121. Khalsa DS, Perry G. The four pillars of Alzheimer's prevention. *Cerebrum.* 2017;1.