

## checkCIF/PLATON report

Structure factors have been supplied for datablock(s) shelx

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found.      CIF dictionary      Interpreting this report

### Datablock: shelx

---

Bond precision:    C-C = 0.0045 Å                                  Wavelength=0.71073

Cell:                      a=7.7318 (4)                      b=8.6981 (6)                      c=14.7200 (9)  
                                    alpha=78.295 (6)                      beta=83.810 (5)                      gamma=69.368 (6)  
Temperature:            293 K

	Calculated	Reported
Volume	906.48 (10)	906.48 (10)
Space group	P -1	P -1
Hall group	-P 1	-P 1
Moiety formula	C14 H14 N13 Ni O	?
Sum formula	C14 H14 N13 Ni O	C14 H14 N13 Ni O
Mr	439.07	439.09
Dx, g cm <sup>-3</sup>	1.609	1.609
Z	2	2
Mu (mm <sup>-1</sup> )	1.109	1.109
F000	450.0	450.0
F000'	450.77	
h, k, lmax	10, 11, 19	10, 11, 19
Nref	4159	4158
Tmin, Tmax	0.875, 0.895	0.908, 1.000
Tmin'	0.642	

Correction method= # Reported T Limits: Tmin=0.908 Tmax=1.000  
AbsCorr = MULTI-SCAN

Data completeness= 1.000

Theta (max)= 27.485

R(reflections)= 0.0419 ( 3473)

wR2(reflections)=  
0.1058 ( 4158)

S = 1.039

Npar= 263

---

The following ALERTS were generated. Each ALERT has the format

**test-name\_ALERT\_alert-type\_alert-level.**

Click on the hyperlinks for more details of the test.

---

● **Alert level C**

PLAT220_ALERT_2_C	NonSolvent	Resd 1	N	Ueq(max)/Ueq(min)	Range	3.4	Ratio
PLAT230_ALERT_2_C	Hirshfeld Test	Diff for	N5	--N6	.	6.1	s.u.

---

● **Alert level G**

PLAT199_ALERT_1_G	Reported	_cell_measurement_temperature	.....	(K)		293	Check
PLAT200_ALERT_1_G	Reported	_diffrn_ambient_temperature	.....	(K)		293	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact	C1	..C3	.		3.18	Ang.
			2-x,1-y,1-z	=		2_766	Check
PLAT794_ALERT_5_G	Tentative Bond Valency for Nil	(III)	.			3.51	Info
PLAT883_ALERT_1_G	No Info/Value for	_atom_sites_solution_primary	.				Please Do !
PLAT910_ALERT_3_G	Missing # of FCF Reflection(s)	Below Theta(Min).				1	Note
PLAT941_ALERT_3_G	Average HKL Measurement Multiplicity	.....				1.8	Low
PLAT978_ALERT_2_G	Number C-C Bonds with Positive Residual Density.					6	Info

---

0 **ALERT level A** = Most likely a serious problem - resolve or explain  
0 **ALERT level B** = A potentially serious problem, consider carefully  
2 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight  
8 **ALERT level G** = General information/check it is not something unexpected

3 ALERT type 1 CIF construction/syntax error, inconsistent or missing data  
4 ALERT type 2 Indicator that the structure model may be wrong or deficient  
2 ALERT type 3 Indicator that the structure quality may be low  
0 ALERT type 4 Improvement, methodology, query or suggestion  
1 ALERT type 5 Informative message, check

---

---

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special\_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

### **Publication of your CIF in IUCr journals**

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

### **Publication of your CIF in other journals**

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

---

**PLATON version of 18/05/2022; check.def file version of 17/05/2022**

